






TABLE OF CONTENTS


Overview of indexes

- 4 About WITTE
- 230 Product index
- 234 Key word index
- 236 Fastener assignment
- 239 Profile finder

12 MAXX screwdrivers Professional screwdrivers at a glance

- 14 MAXX 
- 24 MAXX Plus 
- 30 MAXX VDE 
- 36 MAXX VDE Slim 
- 40 MAXX voltage testers 
- 44 MAXXPRO Stainless 
- 48 MAXXPRO Nature 
- 52 MAXXPRO Women Line 

56 PRO screwdrivers Universal screwdrivers at a glance

- 58 PRO 
- 68 PRO Plus 
- 72 PRO Impact 
- 76 PRO VDE 
- 80 PRO VDE Slim 
- 84 PRO BITDRIVE® 
- 88 PRO BITDRIVE® RATCHET 
- 92 PRO BITDRIVE® TORQUE 
- 96 PRO BITDRIVE® TORQUE VDE 
- 100 PRO ESD 
- 104 PRO voltage testers 
- 108 PRO Nature 
- 112 PRO T-bar 
- 116 PRO WITTRON® 
- 122 PRO WITTRON® VDE 
- 126 PRO WITTRON® ESD 
- 132 PRO Allen keys 

140 MAXX pliers & cutters Professional pliers & cutters at a glance

- 142 MAXX heavy-duty telephone engineer's plier 
- 143 MAXX heavy-duty side-cutter 
- 144 MAXX heavy-duty combination plier 
- 146 MAXX VDE heavy-duty telephone eng. plier 
- 147 MAXX VDE multifunction side-cutter 
- 148 MAXX VDE heavy-duty side-cutter 
- 149 MAXX VDE heavy-duty combination plier 
- 150 MAXX VDE cable shear 


152 PRO pliers & cutters Universal pliers & cutters at a glance

- 154 PRO radio & telephone engineer's plier 
- 155 PRO side-cutter 
- 156 PRO combination plier 
- 157 PRO water pump plier 
- 158 PRO VDE radio & telephone eng. plier 
- 159 PRO VDE combination plier 
- 160 PRO VDE wire-stripper 
- 161 PRO VDE side-cutter 

162 MAXX bits Professional bits at a glance

- 164 MAXX Impact 
- 170 MAXX Stainless 
- 174 MAXX Extra hard 
- 176 MAXX TIN 
- 184 MAXX Diamond 

188 PRO bits Industrial bits at a glance

- 190 PRO bits 
- 202 PRO bitholders 

208 BITCOMMANDER The all-rounder

210 Gift boxes

214 Soft case sets Just in case

222 POS displays and accessories

20 Picks & hooks

20 MAXX bottle-opener

50 MAXXPRO cork bottle-opener

63 PRO bottle-opener

The KIRCHHOFF Group.

The KIRCHHOFF Group has its roots in the enterprise founded by Stephan Witte in 1785 for the manufacture of needles and pins in Iserlohn, Germany. Today's KIRCHHOFF Group, owned by the Kirchhoff family for four generations, consists of four divisions: KIRCHHOFF Automotive, KIRCHHOFF Ecotec, KIRCHHOFF Mobility and WITTE Tools. KNOWLEDGE.VALUES.CHANGE. – these are the fundamental principles that are also the motive force behind the rise and further development of the Group. They unite the more than 13,000 employees in the Group in line with our mission statement: WE.MOVE.FUTURE.



KIRCHHOFF GROUP

WITTE TOOLS

WITTE Tools continues to be rated as one of Germany's leading manufacturers of premium handtools. The WITTE brand name is a byword for high-grade screwdrivers, bits, pliers and cutters that are supplied worldwide to partners in industry & the trades and specialist distributors.

KIRCHHOFF AUTOMOTIVE

KIRCHHOFF Automotive is a respected development partner of the automotive industry and focuses on complex metal and hybrid structures for bodywork and chassis. We are available worldwide as a full-service supplier.

KIRCHHOFF ECOTEC

KIRCHHOFF Ecotec is the European market leader for waste collection vehicles, street sweepers, and lifters. This division was the first manufacturer to produce a fully integrated hybrid waste collection vehicle.

KIRCHHOFF MOBILITY

KIRCHHOFF Mobility is one of the leading suppliers of individual vehicle conversions to enable people with disabilities to be more mobile and independent.

The owners of the KIRCHHOFF Group

(l. to r.):

Dr Johannes F. Kirchhoff,

J. Wolfgang Kirchhoff, Arndt G. Kirchhoff



It all started with a needle

Back in 1785, WITTE started manufacturing needles for textile applications, saddlers and shoemakers. Soon, they were supplying customers worldwide. With production standing at 10 million pins and needles per year at the beginning of the 19th century, by the middle of that century, this expanding family concern was manufacturing two million per day with its staff of 1200 and was a leading producer in its field.



The sophisticated art of the screwdriver

As mechanisation threatened to an increasing extent to replace tailors, saddlers and shoemakers, WITTE had already made itself a name as a manufacturer of tools for the nascent automotive and wagon manufacturing industries. During this period, the company developed the product that has continued to form the main basis of its success right up to today: the screwdriver. Since that initial period, WITTE has continuously perfected that tool like no other manufacturer – with the aid of unrelenting innovation, maximum attention to ergonomic design and materials and, of course, peak quality made in Germany.

Quality from Germany.

German engineering skills and craftsmanship have been recognised the world over for many a year. Long before the "Made in Germany" slogan underlined the fact, WITTE was renowned for its core values such as innovation, accuracy and reliability that are central to Germany. These are virtues that we uphold to the same extent as our commitment to Germany as a manufacturing location – both these aspects are indispensable parts of our identity and quality philosophy.



Made in Germany

WUPPERTAL

SOLINGEN

COLOGNE

REMSCHIED


WITTE
HAGEN

Tools with tradition.

Witte is located right at the heart of the European tool-producing region: on the edges of the Bergisch Land, which is the region that is famous for the centuries-old tradition of wire processing and tool manufacture and still today a pacesetter in the worldwide tool market. WITTE is dedicated to maintaining that heritage.

PRO

PRO tools by WITTE will make any professional user's heart beat that little bit faster because those tools are, without doubt, among the best the market has to offer. The quality series for daily professional use stands out because of its ergonomically designed handles: the sculpted longitudinal contour optimises contact pressure and promotes strain-free working. The screwdriver handles are made up of three plastic components and ensure excellent grip.



Sophisticated

The central section of the PRO screwdriver handle – the spin zone – is shaped using a well-rounded triangular form. This enables the user to apply optimum force transmission, which reduces the amount of effort required to do the job. Fast screw tightening and unscrewing are facilitated by the extended multifunction zone.



Robust

WITTE PRO bits offer consistently high quality standards due to our state-of-the-art production systems. The complex hardening process guarantees permanent hardness of 59–61 HRC to meet tough requirements in industry and the trades.



High-grade

Additionally induction hardened cutters, ergonomically designed 2-component handles and high-quality materials are notable features of the WITTE PRO series of pliers and cutters.


MAXX

Standard
PRO
MAXX



MAXX tools – the ideal tools for professionals – when the best is just good enough.

The design of the MAXX tightening tools and MAXX pliers & cutters is based on the latest research techniques in the field of occupational science, ergonomic design and material science. Shape, hand-picked materials, ergonomic design, workmanship and physics all combine here to make a perfect tool. The result is that, if only minimum force is applied, MAXX tools can transmit the highest possible force more effectively. In any situation.



Forceful

Ergonomics in its purest form is a feature of the MAXX range. The characteristic triangular shape of MAXX screwdriver grips provides not only the ergonomically ideal torque angle of 120°, these are also the only screwdrivers on the market in which the shape of the grip is not merely "zoomed" to produce the various sizes. Each MAXX screwdriver from WITTE boasts the ideal grip size that is specially developed as the correct ergonomic design for optimum force transmission.



Durable

Thoroughly hardened and tempered materials enhance not only the appearance of the tool but also its functionality. At the same time, they guarantee extremely long service lifetimes and ensure user satisfaction while they work. Quality that pays for itself.



Uncompromising

The outstanding craftsmanship used in every detail coupled with the highest grade materials dispels any doubts that, thanks to their specially constructed high-performance joints, S-shaped handles with multicomponent grips and additionally induction hardened cutters, the WITTE MAXX series of pliers and cutters are a byword for perfect ergonomic design, firm-grip materials, optimised force transmission and long service lifetimes.

On the following pages, you will be able to see which family of tools you are currently looking at due to the colour coding: dark blue stands for **MAXX**, cyan for **PRO**.

MAXX

Screwdrivers



12 Screwdrivers

Professional screwdrivers at a glance

14	MAXX	
24	MAXX Plus	
30	MAXX VDE	
36	MAXX VDE Slim	
40	MAXX voltage testers	
44	MAXXPRO Stainless	
48	MAXXPRO Nature	
52	MAXXPRO Women Line	

MAXX




Certified by the IGR as an "ergonomic product".
WITTE MAXX screwdrivers have been extensively tested by the independent IGR Institute for Health and Ergonomics with regard to usability and ergonomics and have been successfully certified to DIN 33419 / EN ISO 15537.

Permanent blade identification
Durable marking on the blade ensures fast, accurate choice of the right screwdriver

Multifunction zone
The extended multifunction zone allows faster screw tightening and unscrewing

Convenient hanging hole
For best organisation in the workshop




Black tip
Accurately finished tips provide peak protection against corrosion and guarantee accuracy and correct fit

High-grade steel that is made in Germany
Hardened and tempered, extremely tough special steel guarantees optimum force transmission and long service lives

Soft component
Enhance grip and provide better control of the tightening action

Ergonomically shaped triangular form
Perfect ergonomic design for maximum force transmission


Demanding craftsmen and craftswomen need tools that do not make compromises: **MAXX**. The sculpted longitudinal contour of the ergonomically designed grips allows high axial forces to be applied to the screw without excessive effort. This generates high contact pressure while effectively preventing cam-out. The soft component on the edges of the grip supports a snug fit and helps to generate maximum torque.



Exclusively available from WITTE: four handle sizes and shapes to match each size of screw head. Our grips are not merely "pinch zoomed" for the next size but individually shaped for the correct contour, centre of gravity and form.

The lower the required torque, the more round the grip cross-section to enable faster, accurate turns. The greater the required torque, the larger the grip, so it lies snugly in the hand and guarantees safe, accurate application of force.

- The benefits**
- Tried-and-tested three-sided shape corresponds to the hand's ideal tightening angle (120°)
 - The spin zone made of softer material makes working with the tool faster and more satisfying
 - Matt chrome-plated, permanently marked blades made of hardened and tempered special steel in all profiles
 - Black tips guarantee peak accuracy and correct fit





53100 slotted keystone / engineer's screwdrivers
to DIN 5264 and ISO 2380




ITEM NO.					ITEM NO.				
53101	0.6 x 3.5	75	3.5	103 x 23	53107	1.2 x 6.5	125	6.0	117 x 37
53102	0.6 x 3.5	100	3.5	103 x 23	53108	1.2 x 6.5	150	6.0	117 x 37
53103	0.8 x 4.0	75	4.0	103 x 23	53109	1.2 x 8.0	150	7.0	127 x 39
53104	0.8 x 4.0	100	4.0	103 x 23	53110	1.6 x 8.0	175	7.0	127 x 39
53105	1.0 x 5.5	100	5.0	107 x 32	53111	1.6 x 10.0	200	8.0	127 x 39
53106	1.0 x 5.5	125	5.0	107 x 32					

53010 slotted keystone / engineer's screwdrivers
to DIN 5264 and ISO 2380, hexagonal blade and
bolster dimensionally accurate to DIN 475



ITEM NO.					ITEM NO.				
53010	0.8 x 4.0	100	8.0	5.0	107 x 32	53014	1.6 x 10.0	200	13.0
53011	1.0 x 5.5	125	8.0	5.0	107 x 32	53015	2.0 x 12.0	225	10.0
53012	1.2 x 6.5	150	10.0	6.0	117 x 37	53016	2.5 x 14.0	275	10.0
53013	1.2 x 8.0	175	13.0	8.0	127 x 39				

53020 slotted cabinet / electrician's screwdrivers
to DIN 5264 and ISO 2380



ITEM NO.				
53021	0.5 x 3.0	75	3.0	103 x 23
53022	0.6 x 3.5	100	3.5	103 x 23
53023	0.6 x 4.0	300	4.0	103 x 23
53024	0.8 x 4.0	125	4.0	103 x 23
53025	1.0 x 5.5	150	5.5	107 x 32
53026	1.0 x 5.5	200	5.5	107 x 32
53027	1.0 x 5.5	300	5.5	107 x 32

53030 PH screwdrivers
to ISO 8764 for PHILLIPS recess screws



ITEM NO.					ITEM NO.				
53031	PH 0	60	3.0	103 x 23	53036	PH 2	200	6.0	117 x 37
53032	PH 1	80	4.5	107 x 32	53037	PH 2	300	6.0	117 x 37
53034	PH 1	300	4.5	107 x 32	53038	PH 3	150	8.0	127 x 39
53035	PH 2	100	6.0	117 x 37	53039	PH 4	200	10.0	127 x 39
53033	PH 2	150	6.0	117 x 37					


53500 PH screwdrivers
to ISO 8764 for PHILLIPS recess screws, hexagonal blade and
bolster dimensionally accurate to DIN 475



ITEM NO.					
53501	PH 1	105	8.0	5.0	107 x 32
53502	PH 2	125	10.0	6.0	117 x 37
53503	PH 3	175	13.0	8.0	127 x 39

53040 PZ screwdrivers
to ISO 8764 for POZIDRIV screws



ITEM NO.					ITEM NO.				
53041	PZ 0	60	3.0	103 x 23	53047	PZ 2	300	6.0	117 x 37
53042	PZ 1	80	4.5	107 x 32	53048	PZ 3	150	8.0	127 x 39
53044	PZ 1	300	4.5	107 x 32	53049	PZ 4	200	10.0	127 x 39
53045	PZ 2	100	6.0	117 x 37					

53600 PZ screwdrivers
to ISO 8764 for POZIDRIV screws, hexagonal blade and
bolster dimensionally accurate to DIN 475



ITEM NO.					
53601	PZ 1	105	8.0	5.0	107 x 32
53602	PZ 2	125	10.0	6.0	117 x 37
53603	PZ 3	175	13.0	8.0	127 x 39

53200 TORX® screwdrivers



ITEM NO.					ITEM NO.				
53201	T 5	60	3.0	103 x 23	53208	T 20	100	4.5	107 x 32
53202	T 6	60	3.0	103 x 23	53209	T 25	100	4.5	107 x 32
53203	T 7	60	3.0	103 x 23	53210	T 27	115	6.0	117 x 37
53204	T 8	60	3.0	103 x 23	53211	T 30	115	6.0	117 x 37
53205	T 9	60	3.0	103 x 23	53212	T 40	115	7.0	127 x 39
53206	T 10	80	3.5	103 x 23	53213	T 45	130	8.0	127 x 39
53207	T 15	80	3.5	103 x 23					

53300 TORX® screwdrivers
with central bore, TR tamper resistant



ITEM NO.			mm		mm	ITEM NO.			mm		mm
53303	TR 7	60	3.0	103 x 23		53309	TR 25	100	4.5	107 x 32	
53304	TR 8	60	3.0	103 x 23		53310	TR 27	115	6.0	117 x 37	
53305	TR 9	60	3.0	103 x 23		53311	TR 30	115	6.0	117 x 37	
53306	TR 10	80	3.5	103 x 23		53312	TR 40	115	7.0	127 x 39	
53307	TR 15	80	3.5	103 x 23		53313	TR 45	130	8.0	127 x 39	
53308	TR 20	100	4.5	107 x 32							

53050 ball-end hex screwdrivers



ITEM NO.			mm		mm
53051	3.0	100	103 x 23		
53052	4.0	100	103 x 23		
53053	5.0	100	107 x 32		
53054	6.0	125	117 x 37		
53055	8.0	150	127 x 39		

53060 square drive screwdrivers
for Robertson screws



ITEM NO.			mm		mm
53061	1.0	100	4.5	107 x 32	
53062	2.0	125	5.0	107 x 32	
53063	3.0	150	6.0	117 x 37	

53070 TRI-WING screwdrivers



ITEM NO.			mm		mm
53071	TW 2	80	107 x 32		
53072	TW 3	100	107 x 32		
53073	TW 4	100	107 x 32		
53074	TW 5	100	107 x 32		

53400 nutdrivers




ITEM NO.			mm		mm	ITEM NO.			mm		mm	ITEM NO.			mm		mm
53401	3.5	125	107 x 32			53406	6.0	125	117 x 37			53411	11.0	125	127 x 39		
53402	4.0	125	107 x 32			53407	7.0	125	117 x 37			53412	12.0	125	127 x 39		
53403	4.5	125	107 x 32			53408	8.0	125	117 x 37			53413	13.0	125	127 x 39		
53404	5.0	125	107 x 32			53409	9.0	125	117 x 37			53414	14.0	125	127 x 39		
53405	5.5	125	107 x 32			53410	10.0	125	117 x 37			53415	17.0	125	127 x 39		

53080 nutdrivers
with flexible shank



ITEM NO.			mm		mm	ITEM NO.			mm		mm
53081	5.0	210	117 x 37			53084	7.0	210	117 x 37		
53082	5.5	210	117 x 37			53085	8.0	210	117 x 37		
53083	6.0	210	117 x 37			53086	1/4"	210	117 x 37		

53091 bitholder
with 150 mm blade and permanent magnet



ITEM NO.			mm		mm
53091	1/4"	150	117 x 37		

86990 slotted stubby screwdriver



ITEM NO.			mm		mm	ITEM NO.			mm		mm
86991	0.8 x 4.5	25	4.5	55 x 29		86993	1.2 x 8.0	25	8.0	55 x 29	
86992	1.0 x 6.0	25	6.0	55 x 29							

94260 PH stubby screwdriver
to ISO 8764 for PHILLIPS recess screws



ITEM NO.			mm		mm
94261	PH 1	25	4.5	55 x 29	
94262	PH 2	25	6.0	55 x 29	

95350 PZ stubby screwdriver
to ISO 8764 for POZIDRIV screws



ITEM NO.				
95351	PZ 1	25	4.5	55 x 29
95352	PZ 2	25	6.0	55 x 29



967 bottle-opener



ITEM NO.		
967	43	117 x 37



53622 awl



ITEM NO.			
53622	100	6.0	117 x 37



53832 square reamer



ITEM NO.			
53832	100	6.0	117 x 37



691008 set of picks & hooks in a wallet, 4-pcs. set

ITEM NO.			
691008	70	3.5	103 x 23





— Market-orientated tool sets
Exactly what customers want. Compiled through many years' observation of practical applications.

6-pcs. set
Order no. 653754

ITEM NO.	Drive	mm		mm
53105	●	1.0 x 5.5		100
53107	●	1.2 x 6.5		125
53032	⊕	PH 1		80
53035	⊕	PH 2		100
53042	⊕	PZ 1		80
53045	⊕	PZ 2		100

6-pcs. set
Order no. 653832

ITEM NO.	Drive	mm		mm
53021	●	0.5 x 3.0		75
53104	●	0.8 x 4.0		100
53106	●	1.0 x 5.5		125
53108	●	1.2 x 6.5		150
53032	⊕	PH 1		80
53035	⊕	PH 2		100

6-pcs. set
Order no. 653833

ITEM NO.	Drive	mm		mm
53021	●	0.5 x 3.0		75
53104	●	0.8 x 4.0		100
53106	●	1.0 x 5.5		125
53108	●	1.2 x 6.5		150
53042	⊕	PZ 1		80
53045	⊕	PZ 2		100

6-pcs. set
Order no. 653864

ITEM NO.	Drive	mm		mm
53103	●	0.8 x 4.0		75
53105	●	1.0 x 5.5		100
53107	●	1.2 x 6.5		125
53109	●	1.2 x 8.0		150
53032	⊕	PH 1		80
53035	⊕	PH 2		100

6-pcs. set
Order no. 653863

ITEM NO.	Drive	mm		mm
53103	●	0.8 x 4.0		75
53105	●	1.0 x 5.5		100
53107	●	1.2 x 6.5		125
53109	●	1.2 x 8.0		150
53042	⊕	PZ 1		80
53045	⊕	PZ 2		100

6-pcs. set
Order no. 653867

ITEM NO.	Drive	mm	●		mm
53010	●	0.8 x 4.0			100
53011	●	1.0 x 5.5	8		125
53012	●	1.2 x 6.5	10		150
53013	●	1.2 x 8.0	13		175
53501	⊕	PH 1			105
53502	⊕	PH 2			125

6-pcs. set
Order no. 653868

ITEM NO.	Drive	mm	●		mm
53010	●	0.8 x 4.0			100
53011	●	1.0 x 5.5	8		125
53012	●	1.2 x 6.5	10		150
53013	●	1.2 x 8.0	13		175
53601	⊕	PZ 1			105
53602	⊕	PZ 2			125

6-pcs. set
Order no. 653980

ITEM NO.	Drive	mm		mm
53206	⊗	T 10		80
53207	⊗	T 15		80
53208	⊗	T 20		100
53209	⊗	T 25		100
53211	⊗	T 30		115
53212	⊗	T 40		115

6-pcs. set
Order no. 653726

ITEM NO.	Drive	mm		mm
53306	⊗	TR 10		80
53307	⊗	TR 15		80
53308	⊗	TR 20		100
53309	⊗	TR 25		100
53311	⊗	TR 30		115
53312	⊗	TR 40		115

5-pcs. set
Order no. 653865

ITEM NO.	Drive	mm		mm
53103	●	0.8 x 4.0		75
53105	●	1.0 x 5.5		100
53107	●	1.2 x 6.5		125
53032	⊕	PH 1		80
53035	⊕	PH 2		100

5-pcs. set
Order no. 653866


ITEM NO.	Drive	mm		mm
53103	●	0.8 x 4.0		75
53105	●	1.0 x 5.5		100
53107	●	1.2 x 6.5		125
53042	⊕	PZ 1		80
53045	⊕	PZ 2		100

MAXX

Plus



Certified as ergonomic.
Tested by the independent
IGR Institute for Health and
Ergonomics



Whenever work is required in moist or oily environments, the quality of the tools really counts. And that applies particularly to tightening tools that offer a firm grip in tough conditions, protect the worker's hands against slipping off and transfer force in the most efficient way.

MAXX Plus screwdrivers are designed to excel in these conditions – from the microfibre coating and firm-grip soft handle components to effective protection against rolling.

63100 slotted keystone / engineer's screwdrivers

to DIN 5264 and ISO 2380



ITEM NO.	 mm	 mm	Ø mm	 mm	ITEM NO.	 mm	 mm	Ø mm	 mm
63101	0.6 x 3.5	75	3.5	103 x 23	63107	1.2 x 6.5	125	6.0	117 x 37
63102	0.6 x 3.5	100	3.5	103 x 23	63108	1.2 x 6.5	150	6.0	117 x 37
63103	0.8 x 4.0	75	4.0	103 x 23	63109	1.2 x 8.0	150	7.0	127 x 39
63104	0.8 x 4.0	100	4.0	103 x 23	63110	1.6 x 8.0	175	7.0	127 x 39
63105	1.0 x 5.5	100	5.0	107 x 32	63111	1.6 x 10.0	200	8.0	127 x 39
63106	1.0 x 5.5	125	5.0	107 x 32	63115	2.0 x 12.0	225	10.0	127 x 39

63010 slotted keystone / engineer's screwdrivers

to DIN 5264 and ISO 2380, hexagonal blade and
bolster dimensionally accurate to DIN 475




ITEM NO.	 mm	 mm		Klinge 	 mm
63011	1.0 x 5.5	125	8.0	5.0	107 x 32
63012	1.2 x 6.5	150	10.0	6.0	117 x 37
63013	1.2 x 8.0	175	13.0	8.0	127 x 39
63014	1.6 x 10.0	200	13.0	8.0	127 x 39
63015	2.0 x 12.0	225		10.0	127 x 39

63020 slotted cabinet / electrician's screwdrivers

to DIN 5264 and ISO 2380



ITEM NO.	 mm	 mm	Ø mm	 mm	ITEM NO.	 mm	 mm	Ø mm	 mm
63021	0.5 x 3.0	75	3.0	103 x 23	63025	1.0 x 5.5	150	5.5	107 x 32
63022	0.6 x 3.5	100	3.5	103 x 23	63026	1.0 x 5.5	200	5.5	107 x 32
63023	0.6 x 4.0	300	4.0	103 x 23	63027	1.0 x 5.5	300	5.5	107 x 32
63024	0.8 x 4.0	125	4.0	103 x 23					

63030 PH screwdrivers

to ISO 8764 for PHILLIPS recess screws



ITEM NO.		 mm	Ø mm	 mm	ITEM NO.		 mm	Ø mm	 mm
63031	PH 0	60	3.0	103 x 23	63037	PH 2	300	6.0	117 x 37
63032	PH 1	80	4.5	107 x 32	63038	PH 3	150	8.0	127 x 39
63034	PH 1	300	4.5	107 x 32	63039	PH 4	200	10.0	127 x 39
63035	PH 2	100	6.0	117 x 37					

63500 PH screwdrivers

to ISO 8764 for PHILLIPS recess screws, hexagonal blade and
bolster dimensionally accurate to DIN 475



ITEM NO.		 mm		shank 	 mm
63501	PH 1	105	8.0	5.0	107 x 32
63502	PH 2	125	10.0	6.0	117 x 37
63503	PH 3	175	13.0	8.0	127 x 39

63040 PZ screwdrivers

to ISO 8764 for POZIDRIV screws



ITEM NO.		 mm	Ø mm	 mm	ITEM NO.		 mm	Ø mm	 mm
63041	PZ 0	60	3.0	103 x 23	63047	PZ 2	300	6.0	117 x 37
63042	PZ 1	80	4.5	107 x 32	63048	PZ 3	150	8.0	127 x 39
63044	PZ 1	300	4.5	107 x 32	63049	PZ 4	200	10.0	127 x 39
63045	PZ 2	100	6.0	117 x 37					

63600 PZ screwdrivers

to ISO 8764 for POZIDRIV screws, hexagonal blade and
bolster dimensionally accurate to DIN 475



ITEM NO.		 mm		shank 	 mm
63601	PZ 1	105	8.0	5.0	107 x 32
63602	PZ 2	125	10.0	6.0	117 x 37
63603	PZ 3	175	13.0	8.0	127 x 39

63200 TORX® screwdrivers



ITEM NO.		 mm	Ø mm	 mm	ITEM NO.		 mm	Ø mm	 mm
63201	T 5	60	3.0	103 x 23	63208	T 20	100	4.5	107 x 32
63202	T 6	60	3.0	103 x 23	63209	T 25	100	4.5	107 x 32
63203	T 7	60	3.0	103 x 23	63210	T 27	115	6.0	117 x 37
63204	T 8	60	3.0	103 x 23	63211	T 30	115	6.0	117 x 37
63205	T 9	60	3.0	103 x 23	63212	T 40	115	7.0	127 x 39
63206	T 10	80	3.5	103 x 23	63213	T 45	130	8.0	127 x 39
63207	T 15	80	3.5	103 x 23					

63300 TORX® screwdrivers
with central bore, tamper resistant



ITEM NO.			mm		ITEM NO.			mm	
63303	TR 7	60	3.0	103 x 23	63309	TR 25	100	4.5	107 x 32
63304	TR 8	60	3.0	103 x 23	63310	TR 27	115	6.0	117 x 37
63305	TR 9	60	3.0	103 x 23	63311	TR 30	115	6.0	117 x 37
63306	TR 10	80	3.5	103 x 23	63312	TR 40	115	7.0	127 x 39
63307	TR 15	80	3.5	103 x 23	63313	TR 45	130	8.0	127 x 39
63308	TR 20	100	4.5	107 x 32					

63050 ball-end hex screwdrivers



ITEM NO.			mm		mm	ITEM NO.			mm		mm
63051	3.0		100		103 x 23	63054	6		125		117 x 37
63052	4.0		100		103 x 23	63055	8		150		127 x 39
63053	5.0		100		107 x 32						

63060 Square drive screwdrivers
for Robertson screws



ITEM NO.		 mm	 mm	 mm
63061	1.0	100	4.5	107 x 32
63062	2.0	125	5.0	107 x 32
63063	3.0	150	6.0	117 x 37

63400 nutdrivers



ITEM NO.			mm		mm	ITEM NO.			mm		mm
63401	3.5		125		107 x 32	63409	9.0		125		117 x 37
63402	4.0		125		107 x 32	63410	10.0		125		117 x 37
63403	4.5		125		107 x 32	63411	11.0		125		127 x 39
63404	5.0		125		107 x 32	63412	12.0		125		127 x 39
63405	5.5		125		107 x 32	63413	13.0		125		127 x 39
63406	6.0		125		117 x 37	63414	14.0		125		127 x 39
63407	7.0		125		117 x 37	63415	17.0		125		127 x 39
63408	8.0		125		117 x 37	63091	1/4"		150		117 x 37

63080 nutdrivers
with flexible shank



ITEM NO.			mm		mm	ITEM NO.			mm		mm
63081	5.0		210		117 x 37	63084	7.0		210		117 x 37
63082	5.5		210		117 x 37	63085	8.0		210		117 x 37
63083	6.0		210		117 x 37	63086	1/4"		210		117 x 37

Sets of screwdrivers

6-pcs. set

Order no. 663864

ITEM NO.	Drive	mm		mm
63103		0.8 x 4.0		75
63105		1.0 x 5.5		100
63107		1.2 x 6.5		125
63109		1.2 x 8.0		150
63032		PH 1		80
63035		PH 2		100

6-pcs. set

Order no. 663863

ITEM NO.	Drive	mm		mm
63103		0.8 x 4.0		75
63105		1.0 x 5.5		100
63107		1.2 x 6.5		125
63109		1.2 x 8.0		150
63042		PZ 1		80
63045		PZ 2		100

6-pcs. set

Order no. 663870

ITEM NO.	Drive	mm		mm
63011		1.0 x 5.5	8	125
63012		1.2 x 6.5	10	150
63013		1.2 x 8.0	13	175
63501		PH 1	6	105
63502		PH 2	10	125
63503		PH 3	13	175

6-pcs. set

Order no. 663980

ITEM NO.	Drive	mm		mm
63206		T 10		80
63207		T 15		80
63208		T 20		100
63209		T 25		100
63211		T 30		115
63212		T 40		115

6-pcs. set

Order no. 663723

ITEM NO.	Drive	mm		mm
63306		TR 10		80
63307		TR 15		80
63308		TR 20		100
63309		TR 25		100
63311		TR 30		115
63312		TR 40		115

5-pcs. set

Order no. 663865

ITEM NO.	Drive	mm		mm
63103		0.8 x 4.0		75
63105		1.0 x 5.5		100
63107		1.2 x 6.5		125
63032		PH 1		80
63035		PH 2		100

5-pcs. set

Order no. 663866

ITEM NO.	Drive	mm		mm
63103		0.8 x 4.0		75
63105		1.0 x 5.5		100
63107		1.2 x 6.5		125
63042		PZ 1		80
63045		PZ 2		100




MAXX

VDE




Certified as ergonomic.
Tested by the independent
IGR Institute for Health and
Ergonomics



Best grip and outstanding ergonomic design guarantee excellent force transmission. Together with first-rate tips, this adds up to peak accuracy at the point of contact with the screw – even at voltages up to 1000 volts, because every individual screwdriver is tested in a dip-tank up to 10,000 volts in accordance with VDE requirements.

53700 slotted screwdrivers
to ISO 2380



ITEM NO.				
53701	0.4 x 2.5	75	2.5	103 x 23
53702	0.5 x 3.0	100	3.0	103 x 23
53703	0.6 x 3.5	100	3.5	103 x 23
53704	0.8 x 4.0	100	4.0	107 x 32

ITEM NO.				
53705	1.0 x 5.5	125	5.5	107 x 32
53706	1.2 x 6.5	150	6.5	117 x 37
53707	1.2 x 8.0	175	8.0	127 x 39
53708	1.6 x 10.0	200	10.0	127 x 39

53710 PH screwdrivers
tip to ISO 8764 for PHILLIPS recess screws



ITEM NO.				
53710	PH 0	60	3.0	103 x 23
53711	PH 1	80	4.5	107 x 32
53712	PH 2	100	6.0	117 x 37

ITEM NO.				
53713	PH 3	150	8.0	127 x 39
53714	PH 4	200	10.0	127 x 39

53740 MODUL PH screwdrivers
for +/- screws in electrical installations



ITEM NO.				
53741	PH 1 / MODUL	80	4.5	107 x 32

ITEM NO.				
53742	PH 2 / MODUL	100	6.0	117 x 37

53720 PZ screwdrivers
tip to ISO 8764 for POZIDRIV screws



ITEM NO.				
53720	PZ 0	60	3.0	103 x 23
53721	PZ 1	80	4.5	107 x 32
53722	PZ 2	100	6.0	117 x 37

ITEM NO.				
53723	PZ 3	150	8.0	127 x 39
53724	PZ 4	200	10.0	127 x 39

53760 MODUL PZ screwdrivers
for +/- screws in electrical installations



ITEM NO.				
53761	PZ 1 / MODUL	80	4.5	107 x 32
53762	PZ 2 / MODUL	100	6.0	117 x 37

53730 TORX® screwdrivers



ITEM NO.					
53731	T 10	60	3.0	103 x 23	M 3.0
53732	T 15	75	3.5	103 x 23	M 3.5
53733	T 20	100	4.0	107 x 32	M 4.0
53734	T 25	100	4.5	107 x 32	M 5.0

ITEM NO.					
53735	T 30	100	6.0	117 x 37	M 6.0
53736	T 40	150	8.0	127 x 39	M 8.0
53737	T 45	150	8.0	127 x 39	M 8.0-10.0

53750 nutdrivers



ITEM NO.				
53750	6	125	5.0	117 x 37
53751	7	125	6.0	117 x 37
53752	8	125	6.0	117 x 37
53753	9	125	6.0	117 x 37

ITEM NO.				
53754	10	125	6.0	117 x 37
53755	11	125	8.0	127 x 39
53756	12	125	8.0	127 x 39
53757	13	125	8.0	127 x 39

54810 Square drive screwdrivers
for Robertson screws



ITEM NO.				
54811	1	80	4.5	107 x 32
54812	2	100	6.0	117 x 37

Sets of screwdrivers

6-pcs. set
Order no. 653742

ITEM NO.	Drive	mm	mm
53701	●	0.4 x 2.5	75
53704	●●	0.8 x 4.0	100
53705	●●●	1.0 x 5.5	125
53706	●●●●	1.2 x 6.5	150
53711	⊕	PH 1	80
53712	⊕	PH 2	100

6-pcs. set
Order no. 653749


ITEM NO.	Drive	mm	mm
53701	●	0.4 x 2.5	75
53704	●●	0.8 x 4.0	100
53705	●●●	1.0 x 5.5	125
53706	●●●●	1.2 x 6.5	150
53721	⊕	PZ 1	80
53722	⊕	PZ 2	100

5-pcs. set
Order no. 653741

ITEM NO.	Drive	mm	mm
53701	●	0.4 x 2.5	75
53704	●●	0.8 x 4.0	100
53705	●●●	1.0 x 5.5	125
53711	⊕	PH 1	80
53712	⊕	PH 2	100

5-pcs. set
Order no. 653744

ITEM NO.	Drive	mm	mm
53701	●	0.4 x 2.5	75
53704	●●	0.8 x 4.0	100
53705	●●●	1.0 x 5.5	125
53721	⊕	PZ 1	80
53722	⊕	PZ 2	100




MAXX

VDE Slim




Certified as ergonomic.
Tested by the independent
IGR Institute for Health and
Ergonomics



WITTE's Slim screwdriver variants are designed for use in awkward spots. The reduced shank diameter, coupled with the insulation that slims down to blend seamlessly with the slim-line tip, ensures maximum access to screws that are often almost impossible to reach. By using the MAXX VDE slim tools, recessed screws and springs in live components can easily and safely be operated.

53900 slotted screwdrivers
to ISO 2380



ITEM NO.	 mm	 mm	 mm	 mm
53903	0.6 x 3.5	100	3.5	107 x 37
53904	0.8 x 4.0	100	4.0	107 x 32
53909	0.8 x 4.5	175	4.5	107 x 32

ITEM NO.	 mm	 mm	 mm	 mm
53905	1.0 x 5.5	125	5.5	107 x 37
53906	1.2 x 6.5	150	6.5	117 x 37

53910 PH screwdrivers
tip to ISO 8764 for PHILLIPS recess screws



ITEM NO.	 mm	 mm	 mm	 mm
53911	PH 1	80	4.5	107 x 32
53912	PH 2	100	6.0	117 x 37

53940 MODUL PH screwdrivers
for +/- screws in electrical installations



ITEM NO.	 mm	 mm	 mm	 mm
53941	PH 1 / MODUL	80	4.5	107 x 32
53942	PH 2 / MODUL	100	6.0	117 x 37

53920 PZ screwdrivers
tip to ISO 8764 for POZIDRIV screws



ITEM NO.	 mm	 mm	 mm	 mm
53921	PZ 1	80	4.5	107 x 32
53922	PZ 2	100	6.0	117 x 37

53760 MODUL PZ screwdrivers
for +/- screws in electrical installations



ITEM NO.	 mm	 mm	 mm	 mm
53961	PZ 1 / MODUL	80	4.5	107 x 32
53962	PZ 2 / MODUL	100	6.0	117 x 37

53970 Square drive screwdrivers
for Robertson screws



ITEM NO.	 mm	 mm	 mm	 mm
53971	1.0	100	4.5	107 x 32
53972	2.0	125	5.0	107 x 32

Sets of screwdrivers

5-pcs. set
Order no. 653771

ITEM NO.	Drive	mm	 mm
53903		0.6 x 3.5	100
53904		0.8 x 4.0	100
53905		1.0 x 5.5	125
53911		PH 1	80
53912		PH 2	100

5-pcs. set
Order no. 653772


ITEM NO.	Drive	mm	 mm
53903		0.6 x 3.5	100
53904		0.8 x 4.0	100
53905		1.0 x 5.5	125
53921		PZ 1	80
53922		PZ 2	100

6-pcs. set
Order no. 653773

ITEM NO.	Drive	mm	 mm
53903		0.6 x 3.5	100
53904		0.8 x 4.0	100
53905		1.0 x 5.5	125
53906		1.2 x 6.5	150
53911		PH 1	80
53912		PH 2	100



7-pcs. set
Order no. 653774

ITEM NO.	Drive	mm	 mm
53701		0.4 x 2.5	75
53904		0.8 x 4.0	100
53906		1.2 x 6.5	150
53971		1.0	100
53972		2.0	125
53911		PH 1	80
53912		PH 2	100



MAXX

voltage tester



MAXX voltage tester – safety first. The smooth handle, as transparent as glass, allows an unhindered view of the glowing lamp inside the handle from any position. For maximum safety. The voltage tester has been manufactured in accordance with the current DIN standard and tested to VDE/GS (German label for tested safety) for work on live components from 150-250 volts.

24090 voltage tester

tested to VDE 0680 Part 6

 **CE** 150-250 volts

ITEM NO.	 mm	 mm	 mm	 mm
24090	3.0	65	88 x 21	153




MAXXPRO

Stainless




Certified as ergonomic.
Tested by the independent
IGR Institute for Health and
Ergonomics



**High-grade steel
made in Germany**
Hardened and tempered,
extremely tough special stainless
steel guarantees optimum force
transmission, long service lives
and prevents extraneous rust
when tightening stainless steel
screws. Precise fit for perfect
force transmission.

Use of high-grade stainless steel is of
particular relevance in connection with
stainless steel fastening jobs. This is the only
way to prevent extraneous rust and pitting
corrosion which occur if conventional steel
screwdrivers are used. This is where quality
comes first.

73020 slotted screwdrivers
to DIN 5264 and ISO 2380



ITEM NO.	 mm	 mm	 mm	 mm
73021	0.5 x 3.0	75	3.0	103 x 23
73023	0.8 x 4.0	100	4.0	103 x 23
73024	1.0 x 5.5	125	5.5	107 x 32
73025	1.2 x 6.5	150	6.5	117 x 37

73030 PH screwdrivers
to ISO 8764 for PHILLIPS recess screws



ITEM NO.	 mm	 mm	 mm
73032	PH 1	80	4.5
73035	PH 2	100	6.0
73038	PH 3	150	8.0

73040 PZ screwdrivers
to ISO 8764 for POZIDRIV screws



ITEM NO.	 mm	 mm	 mm
73042	PZ 1	80	4.5
73045	PZ 2	100	6.0
73048	PZ 3	150	8.0

73200 TORX® screwdrivers



ITEM NO.	 mm	 mm	 mm
73206	T 10	80	3.5
73207	T 15	80	3.5
73208	T 20	100	4.5
73209	T 25	100	4.5
73211	T 30	115	6.0
73212	T 40	115	8.0

Sets of screwdrivers

6-pcs. set
Order no. 670007

ITEM NO.	Drive	mm	 mm
73021		0.5 x 3.0	75
73023		0.8 x 4.0	100
73024		1.0 x 5.5	125
73025		1.2 x 6.5	150
73032		PH 1	80
73035		PH 2	100

6-pcs. set
Order no. 670006

ITEM NO.	Drive	mm	 mm
73021		0.5 x 3.0	75
73023		0.8 x 4.0	100
73024		1.0 x 5.5	125
73025		1.2 x 6.5	150
73042		PZ 1	80
73045		PZ 2	100

6-pcs. set
Order no. 670008

ITEM NO.	Drive		 mm
73206		T 10	80
73207		T 15	80
73208		T 20	100
73209		T 25	100
73211		T 30	115
73212		T 40	115

5-pcs. set
Order no. 670002


ITEM NO.	Drive	mm	 mm
73021		0.5 x 3.0	75
73023		0.8 x 4.0	100
73024		1.0 x 5.5	125
73032		PH 1	80
73035		PH 2	100

5-pcs. set
Order no. 670001


ITEM NO.	Drive	mm	 mm
73021		0.5 x 3.0	75
73023		0.8 x 4.0	100
73024		1.0 x 5.5	125
73042		PZ 1	80
73045		PZ 2	100

MAXXPRO

Nature



Certified as ergonomic.
Tested by the independent
IGR Institute for Health and
Ergonomics




Natural, kind to the skin and non-slip: moisture-absorbent cork components in the grip give the MAXXPRO tools a satisfying feel and good tactile feedback. In conjunction with excellent ergonomic design, they ensure first-class force transmission.

54100 slotted keystone / engineer's screwdrivers
to DIN 5264 and ISO 2380



ITEM NO.	 mm	 mm	 mm	 mm
54103	0.8 x 4.0	75	4.0	107 x 32
54105	1.0 x 5.5	100	5.0	107 x 32
54107	1.2 x 6.5	125	6.0	117 x 37

54030 PH screwdrivers
to ISO 8764 for PHILLIPS recess screws



ITEM NO.	 mm	 mm	 mm	 mm
54032	PH 1	80	4.5	107 x 32
54035	PH 2	100	6.0	117 x 37

54040 PZ screwdrivers
to ISO 8764 for POZIDRIV screws



ITEM NO.	 mm	 mm	 mm	 mm
54042	PZ 1	80	4.5	107 x 32
54045	PZ 2	100	6.0	117 x 37

969 bottle-opener



ITEM NO.	 mm
969	117 x 37

Sets of screwdrivers
in environmentally friendly carton

5-pcs. set
Order no. 654865

ITEM NO.	Drive	mm	 mm
54103		0.8 x 4.0	75
54105		1.0 x 5.5	100
54107		1.2 x 6.5	125
54032		PH 1	80
54035		PH 2	100

5-pcs. set
Order no. 654866


ITEM NO.	Drive	mm	 mm
54103		0.8 x 4.0	75
54105		1.0 x 5.5	100
54107		1.2 x 6.5	125
54042		PZ 1	80
54045		PZ 2	100

MAXXPRO

Women Line



Certified as ergonomic.
Tested by the independent
IGR Institute for Health and
Ergonomics



WITTE WOMEN LINE, the ideal starter set
for craftswomen. Our tried-and-tested quality
that is 100% made in Germany.

The four-piece set in the striking,
transparent campaign packaging appeals to
professional craftswomen with its attractive
colouring and optimised handle sizes. In
addition, the triangular shaped grips typical
of WITTE ensure improved force application
and secure grip in the palm of the hand.

654005 WOMEN LINE screwdriver set

4-pcs. set
Order no. 654005



Drive			mm
	1.2 x 6.5		125
	PH 1		80
	PZ 2		100
	Voltage tester SB 3.0 x 65		65



Transparent sliding box
Allows you to see
the tools inside.



PRO

Screwdrivers




56 Screwdrivers

Universal screwdrivers at a glance

58	PRO	
68	PRO Plus	
72	PRO Impact	
76	PRO VDE	
80	PRO VDE Slim	
84	PRO BITDRIVE®	
88	PRO BITDRIVE® RATCHET	
92	PRO BITDRIVE® TORQUE	
96	PRO BITDRIVE® TORQUE VDE	
100	PRO ESD	
104	PRO voltage testers	
108	PRO Nature	
112	PRO T-bar	
116	PRO WITTRON®	
122	PRO WITTRON® VDE	
126	PRO WITTRON® ESD	
132	PRO Allen keys	

PRO



Black tips

Accurately finished tips provide peak protection against corrosion and guarantee accuracy and correct fit

High-grade steel made in Germany

Hardened and tempered, extremely tough special steel guarantees optimum force transmission and long service lives

Permanent blade identification

Durable marking on the blade ensures fast, accurate choice of the right screwdriver

Multifunction zone


Particularly long lower grip zone. For safety when executing fast tightening actions

Soft component

Enhanced grip and better control of the tightening action

In daily work environments, the **PRO** quality series of tools prove their worth over and over again, in particular due to their ergonomic handle shape in conjunction with hardened and tempered special steel. The seamless combination of hard and soft grip materials enhances force transmission, makes handling the tool more satisfactory and reduces strain.


upper grip zone enables force to be applied more effectively. **The round cross-section** in the central section combines firm grip with easier turning in the spin zone. **The extended multifunction zone** in the lower grip zone promotes faster tightening and loosening action. The three grip zones combine to form a sculpted longitudinal contour and to optimise contact pressure.



The comparison in the illustration shows that the handle sizes of the WITTE Pro series of screwdrivers are perfectly matched to the fastener sizes.

The advantages

- Optimised force transmission and less work effort due to ergonomically designed handles
- Matt chrome-plated, permanently marked blades made of hardened and tempered special steel in all profiles
- Black tips guarantee peak accuracy and correct fit
- Long-term satisfaction with your tools thanks to premium quality »made in Germany«



87200 slotted keystone / engineer's screwdrivers
to DIN 5264 and ISO 2380



ITEM NO.					ITEM NO.				
87201	0.6 x 3.5	75	3.5	105 x 25	87207	1.2 x 6.5	125	6.0	115 x 34
87202	0.6 x 3.5	100	3.5	105 x 25	87208	1.2 x 6.5	150	6.0	115 x 34
87203	0.8 x 4.0	75	4.0	105 x 25	87209	1.2 x 8.0	150	7.0	125 x 37
87204	0.8 x 4.0	100	4.0	105 x 25	87210	1.6 x 8.0	175	7.0	125 x 37
87205	1.0 x 5.5	100	5.0	115 x 34	87211	1.6 x 10.0	200	8.0	125 x 37
87206	1.0 x 5.5	125	5.0	115 x 34					

86790 slotted cabinet / electrician's screwdrivers
to DIN 5264 and ISO 2380



ITEM NO.					ITEM NO.				
86791	0.5 x 3.0	75	3.0	105 x 25	86795	1.0 x 5.5	150	5.5	115 x 34
86792	0.6 x 3.5	100	3.5	105 x 25	86796	1.0 x 5.5	200	5.5	115 x 34
86793	0.8 x 4.0	125	4.0	105 x 25	86797	1.0 x 5.5	300	5.5	115 x 34
86794	0.6 x 4.0	300	4.0	105 x 25					

94800 PH screwdrivers
to ISO 8764 for PHILLIPS recess screws



ITEM NO.					ITEM NO.				
94801	PH 0	60	3.0	105 x 25	94809	PH 2	200	6.0	115 x 34
94802	PH 1	80	4.5	105 x 25	94805	PH 2	300	6.0	115 x 34
94803	PH 1	300	4.5	105 x 25	94806	PH 3	150	8.0	125 x 37
94804	PH 2	100	6.0	115 x 34	94807	PH 4	200	10.0	125 x 37
94808	PH 2	150	6.0	115 x 25					


99600 PZ screwdrivers
to ISO 8764 for POZIDRIV screws



ITEM NO.					ITEM NO.				
99601	PZ 0	60	3.0	105 x 25	99605	PZ 2	300	6.0	115 x 34
99602	PZ 1	80	4.5	105 x 25	99606	PZ 3	150	8.0	125 x 37
99603	PZ 1	300	4.5	105 x 27	99607	PZ 4	200	10.0	125 x 37
99604	PZ 2	100	6.0	115 x 34					

98900 TORX® screwdrivers



ITEM NO.					ITEM NO.				
98901	T 5	60	3.0	105 x 25	98908	T 20	100	4.5	105 x 25
98902	T 6	60	3.0	105 x 25	98909	T 25	100	4.5	105 x 25
98903	T 7	60	3.0	105 x 25	98910	T 27	115	6.0	115 x 34
98904	T 8	60	3.0	105 x 25	98911	T 30	115	6.0	115 x 34
98905	T 9	60	3.0	105 x 25	98912	T 40	115	7.0	125 x 37
98906	T 10	80	3.5	105 x 25	98913	T 45	130	8.0	125 x 37
98907	T 15	80	3.5	105 x 25					

99300 TORX® screwdrivers
with central bore, tamper resistant



ITEM NO.					ITEM NO.				
99303	TR 7	60	3.0	105 x 25	99309	TR 25	100	4.5	105 x 25
99304	TR 8	60	3.0	105 x 25	99310	TR 27	115	6.0	115 x 34
99305	TR 9	60	3.0	105 x 25	99311	TR 30	115	6.0	115 x 34
99306	TR 10	80	3.5	105 x 25	99312	TR 40	115	7.0	125 x 37
99307	TR 15	80	3.5	105 x 25	99313	TR 45	130	8.0	125 x 37
99308	TR 20	100	4.5	105 x 25					

93000 Square drive screwdrivers
for Robertson screws



ITEM NO.				
93001	1.0	100	4.5	105 x 25
93002	2.0	125	5.0	115 x 34
93003	3.0	150	6.0	115 x 34

98700 nutdrivers



ITEM NO.				ITEM NO.			
98701	3.5	125	105 x 25	98709	9.0	125	115 x 34
98702	4.0	125	105 x 25	98710	10.0	125	115 x 34
98703	4.5	125	105 x 25	98711	11.0	125	125 x 37
98704	5.0	125	105 x 25	98712	12.0	125	125 x 37
98705	5.5	125	105 x 25	98713	13.0	125	125 x 37
98706	6.0	125	115 x 34	98714	14.0	125	125 x 37
98707	7.0	125	115 x 34	98715	17.0	125	125 x 37
98708	8.0	125	115 x 34				

98800 nutdrivers
with flexible shank



ITEM NO.				ITEM NO.			
		mm	mm			mm	mm
98801	5.0	210	115 x 34	98805	8.0	210	115 x 34
98802	5.5	210	115 x 34	98806	10.0	210	115 x 34
98803	6.0	210	115 x 34	98807	1/4"	210	115 x 34
98804	7.0	210	115 x 34				

26375 bitholder
with 150 mm blade and permanent magnet



ITEM NO.			
		mm	mm
26375	1/4"	150	115 x 34

87230 slotted stubby screwdriver



ITEM NO.				
	mm	mm	mm	mm
87231	0.8 x 4.5	25	4.5	55 x 25
87232	1.0 x 6.0	25	6.0	55 x 25
87233	1.2 x 8.0	25	8.0	55 x 25

94350 PH stubby screwdriver
to ISO 8764 for PHILLIPS recess screws



ITEM NO.				
		mm	mm	mm
94351	PH 1	25	4.5	55 x 25
94352	PH 2	25	6.0	55 x 25

95190 PZ stubby screwdriver
to ISO 8764 for POZIDRIV screws




ITEM NO.				
		mm	mm	mm
95191	PZ 1	25	4.5	55 x 25
95192	PZ 2	25	6.0	55 x 25

970 bottle-opener



ITEM NO.	
	mm
970	115 x 34

92542 awl



ITEM NO.			
	mm	mm	mm
92542	100	6.0	115 x 34

92551 square reamer



ITEM NO.			
	mm	mm	mm
92551	100	6.0	115 x 34



Market-orientated tool sets
Exactly what customers want. Compiled through many years' observation of practical applications.

6-pcs. set
Order no. 670030

ITEM NO.	Drive	mm	mm
87205	●	1.0 x 5.5	100
87207	●	1.2 x 6.5	125
94802	⊕	PH 1	80
94804	⊕	PH 2	100
99602	⊕	PZ 1	80
99604	⊕	PZ 2	100

6-pcs. set
Order no. 670031

ITEM NO.	Drive	mm	mm
86791	●	0.5 x 3.0	75
87204	●	0.8 x 4.0	100
87206	●	1.0 x 5.5	125
87208	●	1.2 x 6.5	150
94802	⊕	PH 1	80
94804	⊕	PH 2	100

6-pcs. set
Order no. 670032

ITEM NO.	Drive	mm	mm
86791	●	0.5 x 3.0	75
87204	●	0.8 x 4.0	100
87206	●	1.0 x 5.5	125
87208	●	1.2 x 6.5	150
99602	⊕	PZ 1	80
99604	⊕	PZ 2	100

6-pcs. set
Order no. 670033

ITEM NO.	Drive	mm	mm
87203	●	0.8 x 4.0	75
87205	●	1.0 x 5.5	100
87207	●	1.2 x 6.5	125
87209	●	1.2 x 8.0	150
94802	⊕	PH 1	80
94804	⊕	PH 2	100

6-pcs. set
Order no. 670034

ITEM NO.	Drive	mm	mm
87203	●	0.8 x 4.0	75
87205	●	1.0 x 5.5	100
87207	●	1.2 x 6.5	125
87209	●	1.2 x 8.0	150
99602	⊕	PZ 1	80
99604	⊕	PZ 2	100

6-pcs. set
Order no. 670037

ITEM NO.	Drive	mm	mm
98906	⊕	T 10	80
98907	⊕	T 15	80
98908	⊕	T 20	100
98909	⊕	T 25	100
98911	⊕	T 30	115
98912	⊕	T 40	115

6-pcs. set
Order no. 670038

ITEM NO.	Drive	mm	mm
99306	⊕	TR 10	80
99307	⊕	TR 15	80
99308	⊕	TR 20	100
99309	⊕	TR 25	100
99311	⊕	TR 30	115
99312	⊕	TR 40	115

5-pcs. set
Order no. 670039

ITEM NO.	Drive	mm	mm
87203	●	0.8 x 4.0	75
87205	●	1.0 x 5.5	100
87207	●	1.2 x 6.5	125
94802	⊕	PH 1	80
94804	⊕	PH 2	100


5-pcs. set
Order no. 670040

ITEM NO.	Drive	mm	mm
87203	●	0.8 x 4.0	75
87205	●	1.0 x 5.5	100
87207	●	1.2 x 6.5	125
99602	⊕	PZ 1	80
99604	⊕	PZ 2	100



PRO


Plus



Unbeatable force transmission and efficacy with the PRO series: perfected ergonomic design and generously dimensioned, firm-grip microfibre surface guarantee particularly good force transmission. The innovative multifunction zone complements this by ensuring greater efficiency as you work.


87300 slotted keystone / engineer's screwdrivers
to DIN 5264 and ISO 2380



ITEM NO.					ITEM NO.				
87303	0.8 x 4.0	75	4.0	105 x 25	87308	1.2 x 6.5	150	6.0	115 x 34
87304	0.8 x 4.0	100	4.0	105 x 25	87309	1.2 x 8.0	150	7.0	125 x 37
87305	1.0 x 5.5	100	5.0	115 x 34	87310	1.6 x 8.0	175	7.0	125 x 37
87306	1.0 x 5.5	125	5.0	115 x 34	87311	1.6 x 10.0	200	8.0	125 x 37
87307	1.2 x 6.5	125	6.0	115 x 34					

86890 slotted cabinet / electrician's screwdrivers
to DIN 5264 and ISO 2380



ITEM NO.					ITEM NO.				
86893	0.8 x 4.0	125	4.0	105 x 25	86896	1.0 x 5.5	200	5.5	115 x 34
86894	0.6 x 4.0	300	4.0	105 x 25	86897	1.0 x 5.5	300	5.5	115 x 34
86895	1.0 x 5.5	150	5.5	115 x 34					

94900 PH screwdrivers
tip to ISO 8764 for PHILLIPS recess screws



ITEM NO.					ITEM NO.				
94902	PH 1	80	4.5	105 x 25	94905	PH 2	300	6.0	115 x 34
94903	PH 1	300	4.5	105 x 25	94906	PH 3	150	8.0	125 x 37
94904	PH 2	100	6.0	115 x 34	94907	PH 4	200	10.0	125 x 37

99700 PZ screwdrivers
tip to ISO 8764 for POZIDRIV screws



ITEM NO.					ITEM NO.				
99702	PZ 1	80	4.5	105 x 25	99705	PZ 2	300	6.0	115 x 34
99703	PZ 1	300	4.5	105 x 25	99706	PZ 3	150	8.0	125 x 37
99704	PZ 2	100	6.0	115 x 34	99707	PZ 4	200	10.0	125 x 37

99000 TORX® screwdrivers



ITEM NO.					ITEM NO.				
99006	T 10	80	3.5	105 x 25	99010	T 27	115	6.0	115 x 34
99007	T 15	80	3.5	105 x 25	99011	T 30	115	6.0	115 x 34
99008	T 20	100	4.5	105 x 25	99012	T 40	115	7.0	125 x 37
99009	T 25	100	4.5	105 x 25	99013	T 45	130	8.0	125 x 37

Sets of screwdrivers

6-pcs. set
Order no. 670060

ITEM NO.	Drive	
87305		1.0 x 5.5 100
87307		1.2 x 6.5 125
94902		PH 1 80
94904		PH 2 100
99702		PZ 1 80
99704		PZ 2 100

6-pcs. set
Order no. 670063

ITEM NO.	Drive	
87303		0.8 x 4.0 75
87305		1.0 x 5.5 100
87307		1.2 x 6.5 125
87309		1.2 x 8.0 150
94902		PH 1 80
94904		PH 2 100

6-pcs. set
Order no. 670064

ITEM NO.	Drive	
87303		0.8 x 4.0 75
87305		1.0 x 5.5 100
87307		1.2 x 6.5 125
87309		1.2 x 8.0 150
99702		PZ 1 80
99704		PZ 2 100

6-pcs. set
Order no. 670067

ITEM NO.	Drive	
99006		T 10 80
99007		T 15 80
99008		T 20 100
99009		T 25 100
99011		T 30 115
99012		T 40 115

5-pcs. set
Order no. 670069


ITEM NO.	Drive	
87303		0.8 x 4.0 75
87305		1.0 x 5.5 100
87307		1.2 x 6.5 125
94902		PH 1 80
94904		PH 2 100

5-pcs. set
Order no. 670070

ITEM NO.	Drive	
87303		0.8 x 4.0 75
87305		1.0 x 5.5 100
87307		1.2 x 6.5 125
99702		PZ 1 80
99704		PZ 2 100



PRO Impact




When things get really tough: the PRO Impact stays in control. Extremely stubborn screws can often be persuaded to move through a careful hammer blow to the steel cap. Since the PRO Impact's blade is a full-length, uninterrupted part, the energy imparted to the cap is transferred without loss to the head of the screw. The handle and blade are not damaged.

But that is not all: where additional torque is required, the PRO Impact has a hexagonal bolster and blade, so a spanner can be applied to increase the lever effect.

83800 slotted keystone/engineer's screwdrivers

to DIN 5264 and ISO 2380, hexagonal blade and bolster dimensionally accurate to DIN 475



ITEM NO.	 mm	 mm		 shank	 mm
83802	0.8 x 4.0	90	8.0	5.0	105 x 25
83803	1.0 x 5.5	100	8.0	5.0	115 x 34
83804	1.2 x 6.5	125	10.0	6.0	115 x 34
83805	1.2 x 8.0	150	13.0	8.0	125 x 37
83806	1.6 x 10.0	175	13.0	8.0	125 x 37
83807	2.0 x 12.0	200	-	10.0	125 x 37
83808	2.5 x 14.0	250	-	10.0	125 x 37

83900 PH screwdrivers

to ISO 8764 for PHILLIPS recess screws, hexagonal blade and bolster dimensionally accurate to DIN 475



ITEM NO.		 mm		 shank	 mm
83901	PH 1	85	8.0	5.0	105 x 25
83902	PH 2	100	10.0	6.0	115 x 34
83903	PH 3	150	13.0	8.0	125 x 37

84000 PZ screwdrivers

to ISO 8764 for POZIDRIV screws, hexagonal blade and bolster dimensionally accurate to DIN 475



ITEM NO.		 mm		 shank	 mm
84001	PZ 1	85	8.0	5.0	105 x 25
84002	PZ 2	100	10.0	6.0	115 x 34
84003	PZ 3	150	13.0	8.0	125 x 37

Sets of screwdrivers

6-pcs. set

Order no. 670094

ITEM NO.	Drive		 mm
83802		0.8 x 4.0	8 90
83803		1.0 x 5.5	8 100
83804		1.2 x 6.5	10 125
83805		1.2 x 8.0	13 150
83901		PH 1	8 80
83902		PH 2	10 100

6-pcs. set



Order no. 670095

ITEM NO.	Drive		 mm
83802		0.8 x 4.0	8 90
83803		1.0 x 5.5	8 100
83804		1.2 x 6.5	10 125
83805		1.2 x 8.0	13 150
84001		PZ 1	8 80
84002		PZ 2	10 100



PRO


VDE screwdrivers



Individual testing in the dip tank: every single screwdriver is subjected to a high-voltage test in a water-filled dip tank. Even at 10,000 volts it must pass the dielectric strength test in order to receive VDE certification, which approves it for use on live components up to 1000 volts.

74050 slotted screwdrivers
to ISO 2380



ITEM NO.					ITEM NO.				
74051	0.4 x 2.5	75	2.5	105 x 25	74055	1.0 x 5.5	125	5.5	115 x 34
74052	0.5 x 3.0	100	3.0	105 x 25	74056	1.2 x 6.5	150	6.5	115 x 34
74053	0.6 x 3.5	100	3.5	105 x 25	74057	1.2 x 8.0	175	8.0	125 x 37
74054	0.8 x 4.0	100	4.0	105 x 25	74058	1.6 x 10.0	200	10.0	125 x 37

74060 PH screwdrivers
tip to ISO 8764 for PHILLIPS recess screws



ITEM NO.					ITEM NO.				
74061	PH 0	60	3.0	105 x 25	74064	PH 3	150	8.0	125 x 37
74062	PH 1	80	4.5	105 x 25	74065	PH 4	200	10.0	125 x 37
74063	PH 2	100	6.0	115 x 34					

74080 MODUL PH screwdrivers
for +/- screws in electrical installations



ITEM NO.					ITEM NO.				
74081	PH 1 / MODUL	80	4.5	105 x 25	74082	PH 2 / MODUL	100	6.0	115 x 34

74070 PZ screwdrivers
tip to ISO 8764 for POZIDRIV screws



ITEM NO.					ITEM NO.				
74071	PZ 0	60	3.0	105 x 25	74074	PZ 3	150	8.0	125 x 37
74072	PZ 1	80	4.5	105 x 25	74075	PZ 4	200	10.0	125 x 37
74073	PZ 2	100	6.0	115 x 34					


74090 MODUL PZ screwdrivers
for +/- screws in electrical installations



ITEM NO.					ITEM NO.				
74091	PZ 1 / MODUL	80	4.5	105 x 25	74092	PZ 2 / MODUL	100	6.0	115 x 34

74080 TORX® screwdrivers



ITEM NO.					ITEM NO.				
74083	T 8	60	3.0	105 x 25	74087	T 20	100	4.0	105 x 25
74084	T 9	60	3.0	105 x 25	74088	T 25	100	4.5	105 x 25
74085	T 10	60	3.0	105 x 25	74089	T 30	100	6.0	105 x 25
74086	T 15	75	3.5	105 x 25					

74180 nutdrivers



ITEM NO.					ITEM NO.				
74181	6	125	5.0	115 x 34	74185	10	125	6.0	115 x 34
74182	7	125	6.0	115 x 34	74186	11	125	8.0	125 x 37
74183	8	125	6.0	115 x 34	74187	12	125	8.0	125 x 37
74184	9	125	6.0	115 x 34	74188	13	125	8.0	125 x 37

Sets of screwdrivers

6-pcs. set
Order no. 670022

ITEM NO.	Drive		
74051		0.4 x 2.5	75
74054		0.8 x 4.0	100
74055		1.0 x 5.5	125
74056		1.2 x 6.5	150
74062		PH 1	80
74063		PH 2	100

6-pcs. set
Order no. 670023

ITEM NO.	Drive		
74051		0.4 x 2.5	75
74054		0.8 x 4.0	100
74055		1.0 x 5.5	125
74056		1.2 x 6.5	150
74072		PZ 1	80
74073		PZ 2	100

5-pcs. set
Order no. 670024

ITEM NO.	Drive		
74051		0.4 x 2.5	75
74054		0.8 x 4.0	100
74055		1.0 x 5.5	125
74062		PH 1	80
74063		PH 2	100

5-pcs. set
Order no. 670025

ITEM NO.	Drive		
74051		0.4 x 2.5	75
74054		0.8 x 4.0	100
74055		1.0 x 5.5	125
74072		PZ 1	80
74073		PZ 2	100

