


PRO

VDE slim



Insulated blade to DIN ISO EN 60900
For safe working on live components up to 1000 volts. Every single VDE screwdriver is individually tested for compliance with VDE regulations before it is dispatched.

Reduced shank diameter


Black tip

WITTE's Slim screwdriver variants are designed for use in awkward spots. The reduced shank diameter, coupled with the insulation that slims down to blend seamlessly with the slim-line tip, ensures maximum access to screws that are often almost impossible to reach. By using the PRO VDE slim tools, recessed screws and springs in live components can easily and safely be operated.

The rounded triangular form guarantees excellent force transmission thanks to the easy-to-grip soft zone and the roll protection section in the quality you expect of WITTE.

76010 screwdrivers
to ISO 2380



ITEM NO.					ITEM NO.				
76012	0.5 x 3.0	100	3.0	105 x 25	76015	1.0 x 5.5	125	5.5	115 x 34
76014	0.8 x 4.0	100	4.0	105 x 25	76016	1.2 x 6.5	150	6.5	115 x 34
76017	0.8 x 4.5	175	4.5	105 x 25					

76020 PH screwdrivers
tip to ISO 8764 for PHILLIPS® recess screwdrivers




ITEM NO.				
76022	PH 1	80	4.5	105 x 25
76023	PH 2	100	6.0	115 x 34

76020 MODUL PH screwdrivers
for +/- screws in electrical installations



ITEM NO.				
76025	PH 1 / MODUL	80	4.5	105 x 25
76026	PH 2 / MODUL	100	6.0	115 x 34

76030 PZ screwdrivers
tip to ISO 8764 for POZIDRIV® screws



ITEM NO.				
76032	PZ 1	80	4.5	105 x 25
76033	PZ 2	100	6.0	115 x 34

76030 MODUL PZ screwdrivers
for +/- screws in electrical installations



ITEM NO.				
76035	PZ 1 / MODUL	80	4.5	105 x 25
76036	PZ 2 / MODUL	100	6.0	115 x 34

Sets of screwdrivers

5-pcs. set
Order no. 670080

ITEM NO.	Drive	mm	
76012		0.5 x 3.0	100
76014		0.8 x 4.0	100
76015		1.0 x 5.5	125
76022		PH 1	80
76023		PH 2	100

5-pcs. set
Order no. 670081

ITEM NO.	Drive	mm	
76012		0.5 x 3.0	100
76014		0.8 x 4.0	100
76015		1.0 x 5.5	125
76032		PZ 1	80
76033		PZ 2	100

6-pcs. set
Order no. 670082

ITEM NO.	Drive	mm	
76012		0.5 x 3.0	100
76014		0.8 x 4.0	100
76015		1.0 x 5.5	125
76016		1.2 x 6.5	150
76022		PH 1	80
76023		PH 2	100

6-pcs. set
Order no. 670083

ITEM NO.	Drive	mm	
76012		0.5 x 3.0	100
76014		0.8 x 4.0	100
76015		1.0 x 5.5	125
76016		1.2 x 6.5	150
76032		PZ 1	80
76033		PZ 2	100




PRO

BITDRIVE®



Integrated bit storage

The magnetic mechanism holds the bits in place to make it easier for you to pick the one you need.



Convenient magnetic holder
For attaching small metallic components.




One-hand release mechanism

Quick-change bit holder



Soft component

Roll protection



With the WITTE PRO BITDRIVE® you really have everything at your fingertips. Apart from the ergonomically designed grip that allows you to transmit even higher torques, the new PRO BITDRIVE® incorporates a magazine containing six bits in the handle end. The whole construction is, of course, in the proven WITTE PRO design. Ergonomic handling can be this convenient.



One-hand release mechanism
Easy opening of the bit storage
with only one finger.



Fast access
The magnetic mechanism holds
the bits in a petal-like arrange-
ment to make it easier for you to
pick the one you need.



Convenient magnetic holder
For attaching small metallic
components.



Simple replacement
The magnetic mechanism
holds the bits in place to make
it easier for you to replace the
one you've used.

468023 PRO BITDRIVE® screwdriver

Screwdriver with 6 bits, individually packed in a transparent box with a hanging hole



Qty		ITEM NO.	Drive	mm	1/4" drive
1		27020	PH 1	25	C6.3
1		27021	PH 2	25	C6.3
1		27022	PH 3	25	C6.3
1		27045	PZ1	25	C6.3
1		27046	PZ2	25	C6.3
1		27047	PZ3	25	C6.3

468024 PRO BITDRIVE® screwdriver

Screwdriver with 6 bits, individually packed in a transparent box with a hanging hole



Qty		ITEM NO.	Drive	mm	1/4" drive
1		29503	T 10	25	C6.3
1		29504	T 15	25	C6.3
1		29505	T 20	25	C6.3
1		29506	T 25	25	C6.3
1		29508	T 30	25	C6.3
1		29509	T 40	25	C6.3

PRO

BITDRIVE® RATCHET



Integrated bit storage
The magnetic mechanism holds the bits in place to make it easier for you to pick the one you need.



Convenient magnetic holder
For attaching small metallic components.



One-hand release mechanism

Roll protection



Soft component

High-quality metal ratchet

Quick-change bit holder

The BITDRIVE® RATCHET has all the benefits of the PRO BITDRIVE® – supplemented with the handy ratchet function. For even more efficient tightening and loosening.

BITDRIVE® RATCHET



One-hand release mechanism
Easy opening of the bit storage with only one finger.



Fast access
The magnetic mechanism holds the bits in a petal-like arrangement to make it easier for you to pick the one you need.



Convenient magnetic holder
For attaching small metallic components.



Simple replacement
The magnetic mechanism holds the bits in place to make it easier for you to replace the one you've used.



High-quality metal ratchet
With locked, anticlockwise and clockwise functions. For even more efficient tightening and loosening.

468021 PRO BITDRIVE® RATCHET screwdriver
Screwdriver with 6 bits and a metal ratchet, individually packed in a transparent box with a hanging hole



Qty		ITEM NO.	Drive	mm	1/4" drive
1	+	27020	PH 1	25	C6.3
1	+	27021	PH 2	25	C6.3
1	+	27022	PH 3	25	C6.3
1	+	27045	PZ1	25	C6.3
1	+	27046	PZ2	25	C6.3
1	+	27047	PZ3	25	C6.3


468022 PRO BITDRIVE® RATCHET screwdriver
Screwdriver with 6 bits and a metal ratchet, individually packed in a transparent box with a hanging hole



Qty		ITEM NO.	Drive	mm	1/4" drive
1	⊗	29503	T 10	25	C6.3
1	⊗	29504	T 15	25	C6.3
1	⊗	29505	T 20	25	C6.3
1	⊗	29506	T 25	25	C6.3
1	⊗	29508	T 30	25	C6.3
1	⊗	29509	T 40	25	C6.3

PRO

BITDRIVE® TORQUE



WITTE screwdrivers are renowned for their special grip design that enables maximum torques. To allow you to apply exactly the required amount of force, there is now, with immediate effect, the PRO BITDRIVE® TORQUE with its convenient fast-action torque setting. The quick-change bit holder provides additional security.

BITDRIVE® TORQUE



Easily readable scale
Rough and fine scale for accurate setting of the required target torque.




Convenient setting ring
Fast, easy rotary setting of torques from 1.0 – 5.0 Nm.

468014 PRO BITDRIVE® TORQUE screwdrivers
Torque screwdrivers for torques from 1.0 - 5.0 Nm, individually packed in a transparent box with a hanging hole



PRO

BITDRIVE® TORQUE VDE



Defined torques often have to be achieved even when working with live components. This is where the BITDRIVE® TORQUE VDE comes into play. As an added bonus: replaceable blades are tested to DIN ISO EN 60900.

BITDRIVE® TORQUE VDE



Easily readable scale
Rough and fine scale for accurate setting of the required target torque.



Convenient setting ring
Fast, easy rotary setting of torques from 1.0 – 5.0 Nm.



Safe-change mount
For mounting and changing insulated blades. Tested to DIN EN IEC 60900.

468015 PRO BITDRIVE® TORQUE VDE screwdrivers

VDE torque screwdrivers for torques from 1.0 - 5.0 Nm, individually packed in a transparent box with a hanging hole



incl. PH 2 interchangeable blade



Drive	mm	mm
+	PH 2	100

301272 WITTE BITDRIVE® TORQUE VDE 1 SET

PRO BITDRIVE® TORQUE incl. 5 interchangeable blades in a zip-up wallet



Drive	mm	mm
+	0.5 x 0.3	60
+	0.8 x 4.0	80
+	1.0 x 5.5	80
+	PH 1	80
+	PH 2	100



301282 WITTE BITDRIVE® TORQUE VDE 2 SET

PRO BITDRIVE® TORQUE incl. 5 interchangeable blades in a roll-up wallet



Drive	mm	mm
+	0.5 x 0.3	60
+	0.8 x 4.0	80
+	1.0 x 5.5	80
+	PH 1	80
+	PH 2	100



468010 Interchangeable blades for BITDRIVE® TORQUE VDE

single, packed in polybag





ITEM NO.	Drive	mm	mm
468016	+	0.5 x 0.3	60
468017	+	0.8 x 4.0	80
468018	+	1.0 x 5.5	80
468019	+	PH 1	80
468020	+	PH 2	100



PRO

ESD screwdrivers




The PRO ESD screwdriver series is equipped with electrostatically conducting handles. This enables work to be carried out on electrostatically sensitive components with a working resistance of $10^6 - 10^9$ ohms. The handles are electrostatically conducting to DIN EN 61340-5-1.

85540 slotted keystone/engineer's screwdrivers
to DIN 5264 and ISO 2380



ITEM NO.	 mm	 mm		 shank	 mm
85541	0.5 x 3.0	75	3.0	105 x 25	105 x 25
85543	0.8 x 4.0	125	4.0	105 x 25	115 x 34
85544	1.0 x 5.5	150	5.5	115 x 34	115 x 34

94240 PH screwdrivers
tip to ISO 8764 for PHILLIPS recess screws




ITEM NO.		 mm	 mm	 mm
94241	PH 0	60	3.0	105 x 25
94242	PH 1	80	4.5	105 x 25
94243	PH 2	100	6.0	115 x 34



PRO

voltage testers



WITTE PRO voltage testers – check reliably
and safely for the presence of AC currents up
to 250 volts.

24083 voltage tester with metal clip
Tested to VDE 0680 Part 6

 120-250 volts

ITEM NO.	 mm	 mm	 mm	 mm
24083	3.0	65	75 x 15	140



24072 voltage tester
Tested to VDE 0680 Part 6

 120-250 volts

ITEM NO.	 mm	 mm	 mm	 mm
24072	3.5	100	85 x 17	185



24856 Euro voltage tester
Tested to VDE 0680 Part 6

 125-250 volts

ITEM NO.	 mm	 mm	 mm	 mm
24856	3.0	60	90 x 20	150



24857 Euro voltage tester
Tested to VDE 0680 Part 6

 125-250 volts

ITEM NO.	 mm	 mm	 mm	 mm
24857	3.5	100	90 x 20	190



PRO

Nature



Leather cap

Absorbs impacts and
protects against splinters

Hard-wood handle

Made of durable beech-wood

Bolster

For added torque

Full-length blade

Forged from a single piece.
Provides additional safety
when tapping with a hammer



Black tip

Screwdrivers with wooden handles have a long tradition. Even today, they are still the preferred choice among those that appreciate tried-and-tested workmanship and like working with natural materials.

96500 slotted keystone/engineer's screwdrivers

Blade high-gloss chrome-plated with black tip



ITEM NO.					ITEM NO.					ITEM NO.							
	mm	mm	mm	mm		mm	mm	mm	mm		mm	mm	mm	mm			
96501	0.6 x 3.5	75	6	4.5	95 x 24	96505	1.2 x 9.0	150	13	8	120 x 30	96506	1.6 x 10.0	175	13	9	125 x 32
96502	0.7 x 4.5	90	6	4.5	95 x 24	96507	2.0 x 12.0	200	16	9	130 x 32	96508	2.5 x 13.0	250	16	11	130 x 35
96503	0.8 x 5.5	100	8	5.5	100 x 25												
96504	1.0 x 7.0	125	10	7.0	110 x 27												

96600 PH screwdrivers

to ISO 8764 for PHILLIPS recess screws,
blade high-gloss chrome-plated with black tip



ITEM NO.					ITEM NO.				
96601	PH 1	85	6	4.5	95 x 24	96601	PH 1	85	6
96602	PH 2	100	10	6.0	110 x 27	96602	PH 2	100	10
96603	PH 3	150	13	8.0	120 x 30	96603	PH 3	150	13
96604	PH 4	200	16	10.0	130 x 32	96604	PH 4	200	16

96700 PZ screwdrivers

to ISO 8764 for POZIDRIV screws,
blade high-gloss chrome-plated with black tip



ITEM NO.		 mm		 mm	 mm
96701	PZ 1	85	6	4.5	95 x 24
96702	PZ 2	100	10	6.0	110 x 27
96703	PZ 3	150	13	8.0	120 x 30
96704	PZ 4	200	16	10.0	130 x 32

Sets of screwdrivers

6-pcs. set

Order no. 620326

ITEM NO.	Drive	mm			ITEM NO.	Drive	mm		
96501		0.6 x 3.5	6	75	96501		0.6 x 3.5	6	75
96502		0.7 x 4.5	6	90	96502		0.7 x 4.5	6	90
96503		0.8 x 5.5	8	100	96503		0.8 x 5.5	8	100
96504		1.0 x 7.0	10	125	96504		1.0 x 7.0	10	125
96601		PH 1	6	85	96701		PZ 1	6	85
96602		PH 2	10	100	96702		PZ 2	10	100

6-pcs. set

Order no. 620302

ITEM NO.	Drive	mm			ITEM NO.	Drive	mm		
96502		0.7 x 4.5	6	90	96502		0.7 x 4.5	6	90
96503		0.8 x 5.5	8	100	96503		0.8 x 5.5	8	100
96504		1.0 x 7.0	10	125	96504		1.0 x 7.0	10	125
96505		1.2 x 9.0	13	150	96505		1.2 x 9.0	13	150
96601		PH 1	6	85	96701		PZ 1	6	85
96602		PH 2	10	100	96702		PZ 2	10	100

5-pcs. set

Order no. 620306

ITEM NO.	Drive	mm			ITEM NO.	Drive	mm		
96502		0.7 x 4.5	6	90	96502		0.7 x 4.5	6	90
96503		0.8 x 5.5	8	100	96503		0.8 x 5.5	8	100
96504		1.0 x 7.0	10	125	96504		1.0 x 7.0	10	125
96601		PH 1	6	85	96701		PZ 1	6	85
96602		PH 2	10	100	96702		PZ 2	10	100

6-pcs. set

Order no. 620327

ITEM NO.	Drive	mm			ITEM NO.	Drive	mm		
96501		0.6 x 3.5	6	75	96501		0.6 x 3.5	6	75
96502		0.7 x 4.5	6	90	96502		0.7 x 4.5	6	90
96503		0.8 x 5.5	8	100	96503		0.8 x 5.5	8	100
96504		1.0 x 7.0	10	125	96504		1.0 x 7.0	10	125
96601		PZ 1	6	85	96701		PZ 1	6	85
96702		PZ 2	10	100	96702		PZ 2	10	100

6-pcs. set

Order no. 620400

ITEM NO.	Drive	mm			ITEM NO.	Drive	mm		
96502		0.7 x 4.5	6	90	96502		0.7 x 4.5	6	90
96503		0.8 x 5.5	8	100	96503		0.8 x 5.5	8	100
96504		1.0 x 7.0	10	125	96504		1.0 x 7.0	10	125
96505		1.2 x 9.0	13	150	96505		1.2 x 9.0	13	150
96601		PZ 1	6	85	96701		PZ 1	6	85
96702		PZ 2	10	100	96702		PZ 2	10	100

5-pcs. set

Order no. 620303

ITEM NO.	Drive	mm			ITEM NO.	Drive	mm		
96502		0.7 x 4.5	6	90	96502		0.7 x 4.5	6	90
96503		0.8 x 5.5	8	100	96503		0.8 x 5.5	8	100
96504		1.0 x 7.0	10	125	96504		1.0 x 7.0	10	125
96601		PZ 1	6	85	96701		PZ 1	6	85
96702		PZ 2	10	100	96702		PZ 2	10	100



Dual drive

For highly flexible torquing
by using the longer arm as
a lever

**Ergonomically designed T-bar
incorporating soft grip component**
For applying high tightening and
loosening torques

Finger friendly

The soft plastic zone prevents
contact with the blade

Hardened and tempered special steel

For optimum torsion-free control
and rigidity

Permanent blade marking

Supports long-term user friendly
work

Black tip

Accurate and durable

Where high torques are required, WITTE
offers the ideal solution with the PRO T-bar.
Its ergonomic design is exemplary for tools
of this kind: with the snug-fit, soft grip
components, work with these tools is easier
and strain-free.

This design also does away with edges, which
aids cramp-free grip and simplifies changing
your hand position. Convenient: to magnify
the torque acting on the screw considerably,
use the shorter shank for the screw and the
longer one as the lever.

81600 internal hex screwdrivers
with a single drive



ITEM NO.			
81602	2.0	100	95
81625	2.5	100	95
81603	3.0	150	95
81604	4.0	150	95
81605	5.0	200	95
81606	6.0	200	95
81608	8.0	200	120
81610	10.0	200	120



81100 internal hex screwdrivers
with dual drive



ITEM NO.				
81102	2.0	100	10	95
81125	2.5	100	10	95
81103	3.0	150	15	95
81104	4.0	150	15	95
81105	5.0	200	15	95
81106	6.0	200	15	95
81108	8.0	200	20	120
81110	10.0	200	25	120



81700 TORX® screwdrivers
with a single drive



ITEM NO.				
81709	T 9	100	95	M 3.0
81710	T 10	100	95	M 3.0
81715	T 15	100	95	M 3.5
81720	T 20	100	95	M 4.0
81725	T 25	110	95	M 5.0
81727	T 27	110	95	M 5.0
81730	T 30	130	95	M 6.0
81740	T 40	130	120	M 8.0
81750	T 50	130	120	M 10.0



81400 TORX® screwdrivers
with dual drive



ITEM NO.					
81409	T 9	100	15	95	M 3.0
81410	T 10	100	15	95	M 3.0
81415	T 15	100	15	95	M 3.5
81420	T 20	100	15	95	M 4.0
81425	T 25	110	15	95	M 5.0
81427	T 27	110	15	95	M 5.0
81430	T 30	130	15	95	M 6.0
81440	T 40	130	20	120	M 8.0
81450	T 50	130	25	120	M 10.0



81200 nutdrivers



ITEM NO.			
81204	4.0	200	95
81245	4.5	200	95
81205	5.0	200	95
81255	5.5	200	95
81206	6.0	200	95
81207	7.0	200	120
81208	8.0	200	120
81209	9.0	200	120
81210	10.0	200	120
81211	11.0	200	120
81212	12.0	200	120
81213	13.0	200	120
81217	17.0	200	120



82620 bitholder
with 150 mm blade and permanent magnet



ITEM NO.			
82620	1/4"	150	95



PRO

WITTRON®



Rotatable cap with ergonomic finger recess
For one-handed rotation



Soft component
For optimum grip



Spin zone
Slim and manageable –
for finger-tip control



Special steel
Hardened and tempered,
made in Germany



Black tip
More accuracy and durability



Accurate work needs precision tools. In particular when carrying out precision mechanical tasks and in electronics applications there is a need for finger-tip control in confined spaces and very carefully gauged application of force. This is where the PRO WITTRON® screwdriver series comes into its own.

These tools feature geometries developed specifically for their field of application. A large finger recess, even slimmer spin zones and large-sized soft components enable the worker to use finger-tip control.

89710 slotted screwdrivers





ITEM NO.					ITEM NO.				
89711	0.16 x 0.8	40	2.5	100	89718	0.50 x 3.0	75	3.0	100
89712	0.18 x 1.0	40	2.5	100	89719	0.50 x 3.0	150	3.0	100
89713	0.25 x 1.2	40	2.5	100	89720	0.60 x 3.5	100	3.5	100
89714	0.30 x 1.5	40	2.5	100	89721	0.60 x 3.5	150	3.5	100
89715	0.30 x 1.8	60	2.5	100	89722	0.80 x 4.0	100	4.0	100
89716	0.40 x 2.0	60	2.5	100	89723	0.80 x 4.0	150	4.0	100
89717	0.40 x 2.5	75	2.5	100	89724	0.80 x 4.0	200	4.0	100

89730 PH screwdrivers
for PHILLIPS recess screws





ITEM NO.					ITEM NO.				
89731	PH 000	40	2.0	100	89734	PH 1	80	4.5	100
89732	PH 00	40	2.5	100	89735	PH 1	150	4.5	100
89733	PH 0	60	3.0	100					

89740 PZ screwdrivers
for POZIDRIV screws





ITEM NO.				
89741	PZ 0	60	3	100
89742	PZ 1	80	4.5	100

89750 TORX® screwdrivers






ITEM NO.					ITEM NO.				
89751	T 5	50	2.5	100	89755	T 9	60	3.0	100
89752	T 6	50	2.5	100	89756	T 10	80	3.0	100
89753	T 7	50	2.5	100	89757	T 15	80	3.5	100
89754	T 8	60	3.0	100	89758	T 20	100	4.0	100

89760 hex screwdrivers





ITEM NO.				ITEM NO.			
89761	0.7	40	100	89765	2.0	50	100
89762	0.9	40	100	89766	2.5	60	100
89763	1.3	40	100	89767	3.0	60	100
89764	1.5	50	100				

89770 ball-end hex screwdrivers





ITEM NO.				
89771	1.5	50	2.5	100
89772	2.0	50	3.0	100
89773	2.5	60	3.0	100
89774	3.0	60	3.5	100

89780 nutdrivers





ITEM NO.			
89781	1.5	60	100
89782	1.8	60	100
89783	2.0	60	100
89784	2.5	60	100
89785	3.0	60	100
89786	3.2	60	100
89787	3.5	60	100
89788	4.0	60	100
89789	4.5	60	100
89790	5.0	60	100
89791	5.5	60	100
89792	6.0	60	100

89793 bitholder
with 60 mm blade and permanent magnet





ITEM NO.			
89793	1/4"	60	100

Sets of screwdrivers
in high-impact plastic cases

7-pcs. set
Order no. 89321

ITEM NO.	Drive	mm	mm
89712	●	0.18 x 1.0	40
89713	●	0.25 x 1.2	40
89714	●	0.30 x 1.5	40
89715	●	0.30 x 1.8	60
89716	●	0.40 x 2.0	60
89717	●	0.40 x 2.5	75
89718	●	0.50 x 3.0	75

7-pcs. set
Order no. 89322

ITEM NO.	Drive	mm	mm
89714	●	0.30 x 1.5	40
89716	●	0.40 x 2.0	60
89717	●	0.40 x 2.5	75
89718	●	0.50 x 3.0	75
89732	⊕	PH 00	40
89733	⊕	PH 0	60
89734	⊕	PH 1	80

7-pcs. set
Order no. 89323

ITEM NO.	Drive	mm	mm
89751	⊗	T 5	50
89752	⊗	T 6	50
89753	⊗	T 7	50
89754	⊗	T 8	60
89755	⊗	T 9	60
89756	⊗	T 10	80
89757	⊗	T 15	80

7-pcs. set
Order no. 89324

ITEM NO.	Drive	mm	mm
89761	○	0.7	40
89762	○	0.9	40
89763	○	1.3	40
89764	○	1.5	50
89765	○	2.0	50
89766	○	2.5	60
89767	○	3.0	60

7-pcs. set
Order no. 89325

ITEM NO.	Drive	mm	mm
89784	●	2.5	60
89785	●	3.0	60
89786	●	3.2	60
89787	●	3.5	60
89788	●	4.0	60
89790	●	5.0	60
89791	●	5.5	60

7-pcs. set
Order no. 89327

ITEM NO.	Drive	mm	mm
89714	●	0.30 x 1.5	40
89733	⊕	PH 0	60
89764	○	1.5	50
89765	○	2.0	50
89766	○	2.5	60
89788	●	4.0	60
89791	●	5.5	60

Sets of screwdrivers
in boxes

7-pcs. set
Order no. 89341

ITEM NO.	Drive	mm	mm
89712	●	0.18 x 1.0	40
89713	●	0.25 x 1.2	40
89714	●	0.30 x 1.5	40
89715	●	0.30 x 1.8	60
89716	●	0.40 x 2.0	60
89717	●	0.40 x 2.5	75
89718	●	0.50 x 3.0	75

7-pcs. set
Order no. 89342

ITEM NO.	Drive	mm	mm
89714	●	0.30 x 1.5	40
89416	●	0.40 x 2.0	60
89717	●	0.40 x 2.5	75
89718	●	0.50 x 3.0	75
89732	⊕	PH 00	40
89733	⊕	PH 0	60
89734	⊕	PH 1	80

7-pcs. set
Order no. 89343

ITEM NO.	Drive	mm	mm
89751	⊗	T 5	50
89752	⊗	T 6	50
89753	⊗	T 7	50
89754	⊗	T 8	60
89755	⊗	T 9	60
89756	⊗	T 10	80
89757	⊗	T 15	80

7-pcs. set
Order no. 89344

ITEM NO.	Drive	mm	mm
89761	○	0.7	40
89762	○	0.9	40
89763	○	1.3	40
89764	○	1.5	50
89765	○	2.0	50
89766	○	2.5	60
89767	○	3.0	60

7-pcs. set
Order no. 89345

ITEM NO.	Drive	mm	mm
89784	●	2.5	60
89785	●	3.0	60
89786	●	3.2	60
89787	●	3.5	60
89788	●	4.0	60
89790	●	5.0	60
89791	●	5.5	60

WITTE WITTRON holder

Find out more here:
<https://www.wittetools.com/service/downloads/wittron-3d-halter/>



or here



PRO

WITTRON® VDE



Rotatable cap with
ergonomic finger recess
For one-handed rotation



Soft component
For optimum grip



Spin zone

Slim and manageable –
for finger-tip control



Special steel

Hardened and tempered,
made in Germany



Insulated blade

For safe working on live
components up to 1000 volts



Black tip

More accuracy and durability



Insulated to DIN ISO EN 60900

For safe working on live
components up to 1000 volts




Accurate work presupposes precision tools.
In particular when carrying out precision
mechanical tasks and in electronics
applications there is a need for finger-tip
control in confined spaces and very carefully
gauged application of force.

This is where the PRO WITTRON® VDE
screwdriver series comes into its own.
These tools feature geometries developed
specifically for their field of application: a
generous finger recess, even slimmer spin
zones and large-sized soft components enable
the worker to use finger-tip control.

89930 slotted screwdrivers



ITEM NO.				
89935	0.3 x 1.5	40	1.8	100
89931	0.3 x 1.8	60	1.8	100
89932	0.4 x 2.0	60	2.0	100
89933	0.4 x 2.5	75	2.5	100
89934	0.5 x 3.0	75	3.0	100

89940 PH screwdrivers

for PHILLIPS recess screws



ITEM NO.				
89942	PH 00	40	2.5	100
89941	PH 0	60	3.0	100

89920 TORX® screwdrivers



ITEM NO.				
89921	T 5	40	2.5	100
89922	T 6	40	2.5	100
89923	T 7	40	2.5	100
89924	T 8	60	3.0	100
89925	T 9	60	3.0	100
89926	T 10	60	3.0	100
89927	T 15	75	3.5	100

Sets of screwdrivers

in high-impact plastic cases

7-pcs. set

Order no. 89367

ITEM NO.	Drive		
89935		0.3 x 1.5	40
89931		0.3 x 1.8	60
89932		0.4 x 2.0	60
89933		0.4 x 2.5	75
89934		0.5 x 3.0	75
89942		PH 00	40
89941		PH 0	60

7-pcs. set

Order no. 89368

ITEM NO.	Drive		
89921		T 5	40
89922		T 6	40
89923		T 7	40
89924		T 8	60
89925		T 9	60
89926		T 10	60
89927		T 15	75



Sets of screwdrivers

in boxes

7-pcs. set

Order no. 89377

ITEM NO.	Drive		
89935		0.3 x 1.5	40
89931		0.3 x 1.8	60
89932		0.4 x 2.0	60
89933		0.4 x 2.5	75
89934		0.5 x 3.0	75
89942		PH 00	40
89941		PH 0	60

7-pcs. set

Order no. 89378

ITEM NO.	Drive		
89921		T 5	40
89922		T 6	40
89923		T 7	40
89924		T 8	60
89925		T 9	60
89926		T 10	60
89927		T 15	75


WITTE WITTRON holder

Find out more here:

<https://www.wittetools.com/service/downloads/wittron-3d-halter/>





or here



PRO

WITTRON® ESD



The PRO WITTRON ESD screwdriver series is equipped with electrostatically conducting, dissipating handles. This enables work to be carried out on electrostatically sensitive components with a working resistance of $10^6 - 10^9$ ohms.

The handles are electrostatically conducting to DIN EN 61340-5-1.

89410 slotted screwdrivers



ITEM NO.					ITEM NO.				
89412	0.18 x 1.0	40	2.5	100	89416	0.50 x 3.0	75	3.0	100
89413	0.25 x 1.2	40	2.5	100	89417	0.40 x 2.0	60	2.5	100
89414	0.30 x 1.5	40	2.5	100	89418	0.40 x 2.5	75	2.5	100
89415	0.30 x 1.8	60	2.5	100					

89806 2K IC chip lifter



ITEM NO.				
89806	1.0 x 3.5	50	3.5	100

89430 PH screwdrivers

for PHILLIPS recess screws



ITEM NO.					ITEM NO.				
89432	PH 00	40	2.5	100	89434	PH 1	80	4.5	100
89433	PH 0	60	3.0	100	89435	PH 1	150	4.5	100

89450 TORX® screwdrivers



ITEM NO.					ITEM NO.				
89451	T 5	50	2.5	100	89455	T 9	60	3.0	100
89452	T 6	50	2.5	100	89456	T 10	80	3.0	100
89453	T 7	50	2.5	100	89457	T 15	80	3.5	100
89454	T 8	60	3.0	100	89458	T 20	100	4.0	100

89480 nutdrivers



ITEM NO.			
89487	3.5	60	100
89489	4.5	60	100
89490	5.0	60	100

Sets of screwdrivers

in high-impact plastic cases

7-pcs. set

Order no. 89313

ITEM NO.	Drive		
89414		0.30 x 1.5	40
89416		0.40 x 2.0	60
89417		0.40 x 2.5	75
89418		0.50 x 3.0	75
89432		PH 00	40
89433		PH 0	60
89434		PH 1	80



WITTE WITTRON holder

Find out more here:

<https://www.wittetools.com/service/downloads/wittron-3d-halter/>



or here





PRO

Allen keys



TORX® key wrenches

Popular TORX® tools as key wrenches.

XZN triple-square key wrenches

Manufactured to comply strictly with DIN 65253, with grey surface finish.

Hexagon socket screw keys

With bevelled ends (DIN ISO 2936) – available as long and short versions.

Allen keys with a ball-end

Easy insertion of the tool into the screw head at angles up to 25° – ideal for hard-to-reach screws.

A hardy perennial: convenient, easy to handle and extremely helpful: key wrenches are a must in any professional set of tools. WITTE makes these classic screwdriving aids into something special. All PRO key wrenches are made from high-grade chrome vanadium steel and feature excellent handling and safety due to the bevelled ends.

43000 Allen keys

high-grade chrome vanadium steel, bevelled ends, to DIN ISO 2936



ITEM NO.	⊙		ITEM NO.	⊙		ITEM NO.	⊙		ITEM NO.	⊙	
43001	1.5	47 x 15	43009	5.5	90.5 x 35.5	43017	13.0	145 x 63	43025	21.0	211 x 96
43002	2.0	52 x 18	43010	6.0	96 x 38	43018	14.0	154 x 70	43026	22.0	222 x 102
43003	2.5	59 x 21	43011	7.0	102 x 41	43019	15.0	161 x 73	43027	24.0	248 x 114
43004	3.0	66 x 23	43012	8.0	108 x 44	43020	16.0	168 x 76	43028	27.0	277 x 127
43005	3.5	69.5 x 25.5	43013	9.0	114 x 47	43021	17.0	177 x 80	43029	30.0	310 x 142
43006	4.0	74 x 29	43014	10.0	122 x 50	43022	18.0	188 x 84	43030	32.0	347 x 157
43007	4.5	80 x 30.5	43015	11.0	129 x 53	43023	19.0	199 x 89	43031	36.0	391 x 176
43008	5.0	85 x 33	43016	12.0	137 x 47	43024	20.0	200 x 90			

43100 Allen keys, long version

high-grade chrome vanadium steel, bevelled ends, to DIN ISO 2936



ITEM NO.	⊙		ITEM NO.	⊙		ITEM NO.	⊙		ITEM NO.	⊙	
43101	1.5	93 x 15	43106	4.0	144 x 29	43111	7.0	197 x 41	43116	12.0	262 x 47
43102	2.0	102 x 18	43107	4.5	156 x 30.5	43112	8.0	208 x 44	43117	13.0	277 x 63
43103	2.5	116 x 21	43108	5.0	165 x 33	43113	9.0	219 x 47	43118	14.0	294 x 70
43104	3.0	129 x 23	43109	5.5	175.5 x 35.5	43114	10.0	234 x 50	43119	17.0	337 x 80
43105	3.5	140 x 25.5	43110	6.0	186 x 38	43115	11.0	247 x 53	43120	19.0	379 x 89

42700 Allen keys, with ball-end

high-grade chrome vanadium steel



ITEM NO.	⊙		ITEM NO.	⊙		ITEM NO.	⊙	
42715	1.5	80 x 14	42704	4.0	110 x 29	42710	10.0	200 x 49
42702	2.0	85 x 17	42705	5.0	130 x 32	42712	12.0	210 x 45
42725	2.5	90 x 19	42706	6.0	155 x 36			
42703	3.0	100 x 21	42708	8.0	175 x 42			

39400 TORX® key wrenches



ITEM NO.	⊙		ITEM NO.	⊙		ITEM NO.	⊙	
39454	T 5	44 x 14	39460	T 15	54 x 18	39466	T 45	83 x 29
39455	T 6	44 x 14	39461	T 20	57 x 19	39467	T 50	95 x 32
39456	T 7	48 x 16	39462	T 25	60 x 20	39468	T55	108 x 35
39457	T 8	48 x 16	39463	T 27	64 x 22	39469	T60	120 x 38
39458	T 9	48 x 16	39464	T 30	70 x 24			
39459	T 10	51 x 17	39465	T 40	76 x 26			

43600 XZN triple-square key wrenches

high-grade chrome vanadium steel, to DIN 65253



ITEM NO.	⊙	
43601	M 5	72 x 25
43602	M 6	80 x 28
43603	M 8	90 x 32
43604	M 10	100 x 36
43605	M 12	112 x 40
43606	M 14	125 x 45




Sets of Allen keys



The advantages


- High-quality and safe: durable, sturdy plastic construction
- Compact: plenty of tools – low space requirement
- Comprehensive: all popular tool sizes included
- Better organised: tools can be removed and replaced individually




Quickly accessible
All keys ready to go



Convenient plastic cover
Open cover to access tools



Easy to remove
Tilt using the longer arm to release from clip



All present and correct
Replace tools and close the cover

45030 set of Allen keys, long version, 9-pcs. set

high-grade chrome vanadium steel, bevelled ends, to DIN ISO 2936

 Order no. 45050  Order no. 45030



ITEM NO.	
45030	1.5-2.0-2.5-3.0-4.0-5.0-6.0-8.0-10.0



45031 set of ball-ended Allen keys, 9-pcs. set

high-grade chrome vanadium steel, bevelled ends, to DIN ISO 2936

 Order no. 45051  Order no. 45031



ITEM NO.	
45031	1.5-2.0-2.5-3.0-4.0-5.0-6.0-8.0-10.0



45032 TORX® key wrenches, 8-pcs. set, gunmetal finish
high-grade chrome vanadium steel

 Order no. 45052  Order no. 45032



ITEM NO.	
45032	T9-T10-T15-T20-T25-T27-T30-T40



45034 set of Allen keys, long version, 9-pcs. set
high-grade chrome vanadium steel, several colours

 Order no. 45034  Order no. 45054




ITEM NO.	
45034	1.5-2.0-2.5-3.0-4.0-5.0-6.0-8.0-10.0



45020 hexagonal Allen keys, 7-pcs. set
high-grade chrome vanadium steel, bevelled ends, to DIN ISO 2936



ITEM NO.	
45020	1.5-2.0-2.5-3.0-4.0-5.0-6.0



44440 set of ball-ended Allen keys, 9-pcs. set, Made in Germany
high-grade chrome vanadium steel, several colours

 Order no. 44440  Order no. 44450



ITEM NO.	
45035	1.5-2.0-2.5-3.0-4.0-5.0-6.0-8.0-10.0



45021 hexagonal Allen keys, 9-pcs. set
high-grade chrome vanadium steel, bevelled ends, to DIN ISO 2936



ITEM NO.	
45021	1.5-2.0-2.5-3.0-4.0-5.0-6.0-8.0-10.0



45036 TORX® key wrenches, 8-pcs. set
high-grade chrome vanadium steel, several colours

 Order no. 45036  Order no. 45056



ITEM NO.	
45036	T9-T10-T15-T20-T25-T27-T30-T40




MAXX

Pliers & cutters

140 Pliers & cutters

Professional pliers & cutters at a glance

- 142 MAXX heavy-duty telephone engineer's plier
- 143 MAXX heavy-duty side-cutter
- 144 MAXX heavy-duty combination plier
- 146 MAXX VDE heavy-duty telephone eng. plier
- 147 MAXX VDE multifunction side-cutter
- 148 MAXX VDE heavy-duty side-cutter
- 149 MAXX VDE heavy-duty combination plier
- 150 MAXX VDE cable shear



TEST WIRES

- MH 800 N/mm² or MPa tensile strength for medium hard wire / 23 HRC
- H 1600 N/mm² or MPa tensile strength for hard wire / 47 HRC
- P 2000 N/mm² or MPa tensile strength for piano wire / 54 HRC

31510 heavy-duty telephone engineer's plier
Matt chrome-plated, 2-component handles cyan/black, to DIN ISO 5743

ITEM NO.	Length	MH	H	P	Weight
31510	220 mm	3.0	2.0	1.4	295 g



31511 heavy-duty side-cutter
Matt chrome-plated, 2-component handles cyan/black, to DIN ISO 5749

ITEM NO.	Length	MH	H	P	Weight
31511	180 mm	3.8	2.7	2.3	235 g



31512 heavy-duty combination plier
Matt chrome-plated, 2-component handles cyan/black, to DIN ISO 5746

ITEM NO.	Length	MH	H	P	Weight
31512	180 mm	3.5	2.5	2.0	210 g



Long, accurate cutters
For cutting soft and hard wires

Spring can be retrofitted


2-component handle
For excellent gripping characteristics

S-shaped handles
For a better grip

Slim-line head
And central section, to optimise accessibility

Effort-saving joint
Reduces the effort required considerably

Thanks to the extra-hard cutters, the MAXX heavy-duty combination plier will cut soft or hard wire with a minimum of effort. Compared with conventional combination pliers, the specially designed effort-saving joint requires up to 30% less effort. The finely crafted serrations make gripping workpieces a simple matter.



Serrated hole
For uncompromising grip and improved holding of flat parts

Additionally induction hardened cutters
For long service lifetime and for cutting the hardest materials, including piano wire




31500 VDE heavy-duty telephone engineer's plier
Matt chrome-plated, 2-component red/yellow VDE sleeves, to DIN ISO 5743 and DIN ISO EN 60900

ITEM NO.	Length	MH	H	P	Weight
31500	220 mm	3.0	2.0	1.4	295 g



31501 VDE multifunction side-cutter
Matt chrome-plated, 2-component red/yellow VDE sleeves, to DIN ISO 5743 and DIN ISO EN 60900

ITEM NO.	Length	MH	H	P	Weight
31501	180 mm	3.5	2.5	2.0	270 g



31502 VDE heavy-duty side-cutter

Matt chrome-plated, 2-component VDE handle coatings in red/yellow, to DIN ISO 5749 and DIN ISO EN 60900

ITEM NO.	Length	MH	H	P	Weight
31502	180 mm	3.8	2.7	2.3	235 g

The MAXX VDE heavy-duty side-cutter have been specifically developed for extremely long service lives. The cutting edges are made from best-quality steel and cut absolutely accurately – permanently. Thanks to the especially well-balanced interaction between the ergonomic design and the optimised design of the joint, remarkably little effort is required.

- 2-component handle
For excellent gripping characteristics
- S-shaped handles
For a better grip

Special joint construction
Reduces effort required by up to 20% in comparison with conventional side-cutters.

Cutters made of top-quality steel
For longlife use and for cutting the hardest materials, even piano wire

Hot riveted
To facilitate smooth opening and closing

31503 heavy-duty VDE combination plier

Matt chrome-plated, 2-component VDE handle coatings in red/yellow, to DIN ISO 5746 and DIN ISO EN 60900

ITEM NO.	Length	MH	H	P	Weight
31503	180 mm	3.5	2.5	2.0	210 g

- Long, accurate cutters
For cutting soft and hard wires
- Spring can be retrofitted

MAXX VDE heavy-duty combination plier, with their additionally hardened cutters, cut hard wire as easily as soft wire, with less effort. Compared with conventional combination pliers, up to 30% less effort is required. The finely crafted serrations make gripping workpieces a simple matter.

- 2-component handle
For excellent gripping characteristics
- S-shaped handles
For a better grip

Slim-line head
And central section, to optimise accessibility

Serrations
So the tool gets a firmer grip on flat workpieces

Additionally induction hardened cutters
For long service lifetime and for cutting the hardest materials, including piano wire

Effort-saving joint
Reduces the effort required considerably

31504 VDE cable shear
Matt chrome-plated, 2-component red/yellow VDE sleeves, to DIN ISO 5743 and DIN ISO EN 60900

ITEM NO.	Length	Cu/Al	Weight
31504	180 mm	Ø 18 mm / 50 mm²	305 g



One-handed operation
Easy to use thanks to the integrated spring and lock

Thanks to the fine cutters, these cable shear ensure clean, extremely smooth-action, accurate cuts, in both solid and multi-stranded copper and aluminium wires.

2-component handles
Ergonomic design ensures strain-free, joint-friendly working



Finely shaped cutters
For perfect, easy cutting

Precision joint
Ground, bolted and adjustable




PRO

Pliers & cutters

152 Pliers & cutters

Overview of combination pliers & cutters

- 154 PRO radio & telephone engineer's plier
- 155 PRO side-cutter
- 156 PRO combination plier
- 157 PRO water pump plier
- 158 PRO VDE radio & telephone eng. plier
- 159 PRO VDE combination plier
- 160 PRO VDE wire-stripper
- 161 PRO VDE side-cutter



TEST WIRES

MH	800 N/mm ² or MPa tensile strength for medium hard wire / 23 HRC
H	1600 N/mm ² or MPa tensile strength for hard wire / 47 HRC
P	2000 N/mm ² or MPa tensile strength for piano wire / 54 HRC

31530 telephone engineer's plier
Matt chrome-plated, 2-component handles, cyan/black, to DIN ISO 5745

ITEM NO.	Length	MH	H	P	Weight
31530	200 mm	2.8	1.8		190 g




Firm grip, clean cuts
Long jaws and high-grade cutting edges for precision jobs and wire cutting

2-component handle
For excellent gripping characteristics

S-shaped handles
For easier gripping and cutting actions

The straight, 200 mm long radio and telephone engineer's plier in the PRO series are ideal for precision jobs and cutting wires. Made in Germany, of course, and a perfect blend of materials from matt chrome-plated steel to the 2-component handles, that unite excellent tactile feedback with ergonomic design.



Matt chrome-plated Serrations

Additionally induction hardened cutters
Ideal for precision jobs and cutting wires

31531 side-cutter
Matt chrome-plated, 2-component handles, cyan/black, to DIN ISO 5749

ITEM NO.	Length	MH	H	P	Weight
31531	160 mm	3.0	2.3	1.6	220 g



Versatile cutters
For soft and hard wire

2-component handle
Tough, soft-grip handles

S-shaped handles
For easier gripping and cutting actions

The PRO side-cutter are ideal for all day-to-day applications. The precision cutters slice through hard and soft wire, while the sturdy joint ensures optimum force transmission.



Accurate cutting action, cutters made of high-grade steel
For versatile application

31532 combination plier

Matt chrome-plated, 2-component handles cyan/black, to DIN ISO 5746

ITEM NO.	Length	MH	H	P	Weight
31532	180 mm	2.8	2.5		265 g



Finely serrated jaws
For a powerful grip

2-component handle
For excellent gripping characteristics

S-shaped handles
For easier gripping and cutting actions


Bevelled edge
For improved accessibility.

Precision cutters
For soft and hard wire

Matt chrome-plated

Your daily helper in innumerable situations: the WITTE PRO combination plier. Grips tightly and cuts soft and hard wires. The bevelled edge improves accessibility.

4-point serrated hole
For a firm grip



31533 water pump plier

Matt chrome-plated, 2-component handles, cyan/black, to DIN ISO 8976

ITEM NO.	Length	R	S	Weight
31533	250 mm	1/8" - 1 1/4"	6 - 38 mm	350 g



Self-grip function
on pipes and nuts – safe and energy-saving

Quick-fit adjuster
Allows rapid adjustment to the workpiece


Slim but highly resilient, thanks to best quality chrome vanadium steel

The PRO water pump plier enable extremely fast, reliable working. The tool adapts easily to changes in workpiece size due to the quick-fit adjuster. The box joint and additionally hardened teeth ensure a firm grip – even in tight corners, thanks to the slime-line construction.

For a firm grip
Teeth additionally hardened

Box joint and additionally hardened teeth
For enduring reliability

Fine adjustment
Quick adjustment to the workpiece without having to press a button



31520 VDE radio and telephone engineer's plier

Matt chrome-plated, 2-component VDE handle coatings in red/yellow, to DIN ISO 5745 and DIN ISO EN 60900

ITEM NO.	Length	MH	H	P	Weight
31520	200 mm	2.8	1.8		190 g




Firm grip, clean cuts
Long jaws and high-grade cutting edges for precision jobs and wire cutting

2-component handle
For excellent gripping characteristics

S-shaped handles
For easier gripping and cutting actions

The straight, 200 mm long radio and telephone engineer's plier in the PRO VDE series are ideal for precision jobs and cutting wires. Made in Germany, of course, and a perfect blend of materials from matt chrome-plated steel to the 2-component handles, that unite excellent tactile feedback with ergonomic design.



Matt chrome-plated Serrations

Additionally induction hardened cutters
Ideal for precision jobs and cutting wires

31521 VDE heavy-duty combination plier

Matt chrome-plated, 2-component VDE handle coatings in red/yellow, to DIN ISO 5746 and DIN ISO EN 60900

ITEM NO.	Length	MH	H	P	Weight
31521	180 mm	2.8	2.5	1.6	265 g



Finely serrated jaws
For a powerful grip.

2-component handle
For outstanding grip

S-shaped handles
For easier gripping and cutting actions

Bevelled edge
For improved accessibility

Precision cutters
For soft and hard wire

Matt chrome-plated

Your daily helper in innumerable situations: the WITTE PRO VDE combination plier. Grips tightly and cuts soft and hard wires. The bevelled edge improves accessibility. Like all tools made by WITTE, the PRO combination plier fit snugly in your hand.



4-point serrated hole
For a firm grip