31522 VDE wire-stripper

Matt chrome-plated, 2-component VDE handle coatings in red/yellow, to DIN ISO 5743 and DIN ISO EN 60900

ITEM NO.	Length	Max. core diameter	Weight
31522	160 mm	Ø 5 mm / 10 mm²	165 g



Accurate working
With spring, set screw and locknut


2-component handle
For minimum effort

S-shaped handles
For easier gripping and cutting actions

These wire-stripper remove the plastic or rubber insulation sheath from all popular flexible and solid wires easily and without damaging the conductor. The diameter of the conductor is quickly and accurately set using the set screw.

For all standard wires
Up to a conductor Ø of 0.5 mm or cross-section of 10 mm²

Gives access to hard-to-reach places



The turning point
For peak accuracy

31523 VDE side-cutter

Matt chrome-plated, 2-component VDE handle coatings in red/yellow, to DIN ISO 5749 and DIN ISO EN 60900

ITEM NO.	Length	MH	H	P	Weight
31523	160 mm	3.0	2.3	1.6	220 g



Versatile cutters
For soft and hard wire

The PRO VDE side-cutter are ideal for all day-to-day applications. The precision cutters slice through hard and soft wire, while the sturdy joint ensures optimum force transmission.

2-component handle
Tough, soft-grip handles

S-shaped handles
For easier gripping and cutting actions

Accurate cutting action, cutters made of high-grade steel
For versatile application



MAXX

Bits



162 Bits

Professional bits at a glance

164 MAXX Impact
170 MAXX Stainless
174 MAXX Extra hard
176 MAXX TIN
184 MAXX Diamond

MAXX

Impact bits



Particularly elastic for use with impact screwdrivers

Professional battery-powered impact screwdrivers are becoming ever more powerful. Time for the WITTE impact bit. Thanks to its individual torsional construction and the special heat-treatment, it provides much increased service lifetimes compared with conventional bits. The elastic material absorbs the impact of the screwdriving action and effectively protects the bit.

The compact construction means the bits, with a length of 38 mm, can be used directly in impact screwdriver without a holder.

PH
for PHILLIPS recess screws



ITEM NO.	⊕	mm	1/4" drive ⬣
28520	PH 1	38	E6.3
28521	**PH 2**	**38**	**E6.3**
28522	PH 3	38	E6.3

PZ
for POZIDRIV screws



ITEM NO.	⊕	mm	1/4" drive ⬣
28523	PZ 1	38	E6.3
28524	**PZ 2**	**38**	**E6.3**
28525	PZ 3	38	E6.3

TORX®




ITEM NO.	✪	mm	1/4" drive ⬣
28490	T 15	38	E6.3
28491	**T 20**	**38**	**E6.3**
28492	T 25	38	E6.3
28493	**T 30**	**38**	**E6.3**
28494	T 40	38	E6.3

DRY WALL
Impact bit PH2



ITEM NO.	⊕	mm	1/4" drive ⬣
28621	PH 2	38	E6.3



PH
for PHILLIPS recess screws

1 unit on a blister card

ITEM NO.		mm	1/4" drive
28376	PH 1	38	E6,3
28377	PH 2	38	E6,3
28378	PH 3	38	E6,3



Article may deviate from illustration

PZ
for POZIDRIV screws

1 unit on a blister card

ITEM NO.		mm	Antrieb 1/4"
28379	PZ 1	38	E6,3
28380	PZ 2	38	E6,3
28381	PZ 3	38	E6,3



Article may deviate from illustration

TORX®

1 unit on a blister card

ITEM NO.		mm	1/4" drive
28371	T 15	38	E6,3
28372	T 20	38	E6,3
28373	T 25	38	E6,3
28374	T 30	38	E6,3
28375	T 40	38	E6,3



Article may deviate from illustration

PH
for PHILLIPS recess screws

3 bits in plastic case

ITEM NO.		mm	1/4" drive
428555	PH 1	38	E6,3
428556	PH 2	38	E6,3
428557	PH 3	38	E6,3



Article may deviate from illustration

PZ
for POZIDRIV screws

3 bits in plastic case

ITEM NO.		mm	1/4" drive
428558	PZ 1	38	E6,3
428559	PZ 2	38	E6,3
428560	PZ 3	38	E6,3



Article may deviate from illustration

TORX®

3 bits in plastic case

ITEM NO.		mm	1/4" drive
428550	T 15	38	E6,3
428551	T 20	38	E6,3
428552	T 25	38	E6,3
428553	T 30	38	E6,3
428554	T 40	38	E6,3



Article may deviate from illustration

COMBIT-BOX® IMPACT, 6-pcs. set

Order no. 28570 | Order no. 33000

Qty	ITEM NO.	Drive	mm	1/4" drive
1	28490	T 15	38 mm	E6.3
1	28491	T 20	38 mm	E6.3
2	28492	T 25	38 mm	E6.3
1	28493	T 30	38 mm	E6.3
1	28494	T 40	38 mm	E6.3



COMBIT-BOX® IMPACT, 10-pcs. set

Order no. 28477 | Order no. 28478

Qty	ITEM NO.	Drive	mm	1/4" drive
1	28376	PH 1	38 mm	E6.3
1	28377	PH 2	38 mm	E6.3
1	28378	PH 3	38 mm	E6.3
1	28379	PZ 1	38 mm	E6.3
1	28380	PZ 2	38 mm	E6.3
1	28381	PZ 3	38 mm	E6.3
1	28371	T 15	38 mm	E6.3
1	28372	T 20	38 mm	E6.3
1	28373	T 25	38 mm	E6.3
1	28374	T 30	38 mm	E6.3




28430 IMPACT BIT SET, 21-pcs. set

Qty	ITEM NO.	Drive	mm	1/4" drive
1	26294		60 mm	E6.3
1	28520	PH 1	38 mm	E6.3
2	28521	PH 2	38 mm	E6.3
2	28522	PH 3	38 mm	E6.3
2	28523	PZ 1	38 mm	E6.3
1	28524	PZ 2	38 mm	E6.3
2	28525	PZ 3	38 mm	E6.3
2	28490	T 15	38 mm	E6.3
2	28491	T 20	38 mm	E6.3
2	28492	T 25	38 mm	E6.3
2	28493	T 30	38 mm	E6.3
2	28494	T 40	38 mm	E6.3




MADE IN GERMANY
SINCE 1785.



COMBIT-BOX®

The advantages

- High-quality and safe: durable, sturdy plastic construction
- Compact: plenty of tools – low space requirement
- Comprehensive: all popular tool sizes included



Open the box by twisting the upper part slightly ...



... which gives easy access to the bits and bit holder.



Try the convenient stand function

MAXX

Stainless bits



For safe working with stainless steel screws

If stainless steel screws are not tightened with stainless steel tools, there is likely to be abrasion. This often results in extraneous rust and can even cause pitting corrosion that jeopardises safety. WITTE stainless bits are specially vacuum ice-hardened for use in professional work environments and boast special hardness and strength characteristics. This weather and corrosion resistant material enables it to be used outdoors, in solar technology, marine engineering, the food processing industry and many other sensitive fields of application.

PH
for PHILLIPS recess screws



DIN ISO1173

ITEM NO.	⊕	mm	1/4" drive ⬣
28501	PH 1	25	C6.3
28502	PH 2	25	C6.3
28503	PH 3	25	C6.3

PZ
for POZIDRIV screws



DIN ISO1173

ITEM NO.	⊕	mm	1/4" drive ⬣
28511	PZ 1	25	C6.3
28512	PZ 2	25	C6.3
28513	PZ 3	25	C6.3

TORX®



DIN ISO1173

ITEM NO.	✪	mm	1/4" drive ⬣
28530	T 10	25	C6.3
28531	T 15	25	C6.3
28532	T 20	25	C6.3
28533	T 25	25	C6.3
28534	T 27	25	C6.3
28535	T 30	25	C6.3
28536	T 40	25	C6.3

EDELSTAHL Rostfrei INOX STAINLESS STEEL

PH
for PHILLIPS recess screws

1 unit on a blister card

ITEM NO.		mm	1/4" drive
26511	PH 1	25	C6.3
26512	**PH 2**	**25**	**C6.3**
26513	PH 3	25	C6.3



Article may deviate from illustration

PZ
for POZIDRIV screws

1 unit on a blister card

ITEM NO.		mm	1/4" drive
26521	PZ 1	25	C6.3
26522	**PZ 2**	**25**	**C6.3**
26523	PZ 3	25	C6.3



Article may deviate from illustration

TORX®

1 unit on a blister card

ITEM NO.		mm	1/4" drive
26530	T 10	25	C6.3
26531	**T 15**	**25**	**C6.3**
26532	T 20	25	C6.3
26533	**T 25**	**25**	**C6.3**
26534	T 27	25	C6.3
26535	**T 30**	**25**	**C6.3**
26536	T 40	25	C6.3



Article may deviate from illustration

RATCHDRIVE® STAINLESS
Order no. 25103

Qty		ITEM NO.	Drive	mm	1/4" drive
1				60	E6.3
1		**28530**	**T 10**	**25**	**C6.3**
1		28531	T 15	25	C6.3
1		**28532**	**T 20**	**25**	**C6.3**
1		28533	T 25	25	C6.3
1		**28535**	**T 30**	**25**	**C6.3**
1		28536	T 40	25	C6.3



Application see p. 183

COMBIT-BOX® STAINLESS. 7-pcs. set
12 Order no. 28556 Order no. 33100

Qty		ITEM NO.	Drive	mm	1/4" drive
1		26294		60	E6.3
1		**28530**	**T 10**	**25**	**C6.3**
1		28531	T 15	25	C6.3
1		**28532**	**T 20**	**25**	**C6.3**
1		28533	T 25	25	C6.3
1		**28535**	**T 30**	**25**	**C6.3**
1		28536	T 40	25	C6.3



Application see p. 169

COMBIT-BOX® STAINLESS. 11-pcs. set
12 Order no. 28451 Order no. 28461

Qty		ITEM NO.	Drive	mm	1/4" drive
1		26294		60	E6.3
1		**28530**	**T 10**	**25**	**C6.3**
1		28531	T 15	25	C6.3
1		**28532**	**T 20**	**25**	**C6.3**
1		28533	T 25	25	C6.3
1		**28535**	**T 30**	**25**	**C6.3**
1		28536	T 40	25	C6.3
1		**28501**	**PH 1**	**25**	**C6.3**
1		28502	PH 2	25	C6.3
1		**28511**	**PZ 1**	**25**	**C6.3**
1		28512	PZ 2	25	C6.3



Application see p. 169

MAXX

Extra-hard bits



Extra-hard bits for low and uniformly increasing torques

WITTE extra-hard industrial bits are particularly well suited to fastener tightening at low, but steadily increasing torques during which large amounts of wear & tear occur, such as during cam-out. The special hardness of 62–64 HRC guarantees long service lifetimes.

PH
for PHILLIPS recess screws



Extra hard
DIN ISO1173

ITEM NO.	⊕	mm	1/4" drive ⬣
27120	PH 1	25	C6.3
27121	**PH 2**	**25**	**C6.3**
27122	PH 3	25	C6.3



Extra hard, truncated tip
DIN ISO1173

ITEM NO.	⊕	mm	1/4" drive ⬣
27123	PH 2	25	C6.3

PZ
for POZIDRIV screws



Extra hard
DIN ISO1173

ITEM NO.	⊕	mm	1/4" drive ⬣
27245	PZ 1	25	C6.3
27246	**PZ 2**	**25**	**C6.3**
27247	PZ 3	25	C6.3



Extra hard, truncated tip
DIN ISO1173

ITEM NO.	⊕	mm	1/4" drive ⬣
27248	PZ 2	25	C6.3

MAXX

TIN bits



Optimum resistance to wear thanks to very hard titanium nitride (TIN) coating

The titanium nitride coating on the bits has a hardness of approx. 2800 HV and is ideally suited to screw-tightening sequences.

Thanks to the longer lifetimes and much reduced retooling times, there are considerable saving effects here.

PH

for PHILLIPS recess screws



BITFLEX
with the damping zone between the drive and tip



DIN ISO1173

ITEM NO.	⊕	mm	1/4" drive ⬣
28421	PH 1	25	6.3 mm
28422	PH 2	25	6.3 mm
28423	PH 3	25	6.3 mm

ITEM NO.	⊕	mm	1/4" drive ⬣
27320	PH 1	25	C6.3
27321	PH 2	25	C6.3
27322	PH 3	25	C6.3



DIN ISO1173

ITEM NO.	⊕	mm	1/4" drive ⬣
27551	PH 1	50	E6.3
27552	PH 2	50	E6.3
27553	PH 3	50	E6.3

PZ

for POZIDRIV screws



BITFLEX
with the damping zone between the drive and tip



DIN ISO1173

ITEM NO.	⊕	mm	1/4" drive ⬣
28445	PZ 1	25	6.3 mm
28446	PZ 2	25	6.3 mm
28447	PZ 3	25	6.3 mm

ITEM NO.	⊕	mm	1/4" drive ⬣
27345	PZ 1	25	C6.3
27346	PZ 2	25	C6.3
27347	PZ 3	25	C6.3



DIN ISO1173

ITEM NO.	⊕	mm	1/4" drive ⬣
27541	PZ 1	50	E6.3
27542	PZ 2	50	E6.3
27543	PZ 3	50	E6.3

Slotted



DIN ISO1173

ITEM NO.	mm	mm	1/4" drive ⬣
26431	0.6 x 4.5	25	C6.3
26432	0.8 x 5.5	25	C6.3
26434	1.2 x 6.5	25	C6.3



DIN ISO1173

ITEM NO.	mm	mm	1/4" drive ⬣
27531	0.6 x 4.5	50	E6.3
27532	0.8 x 5.5	50	E6.3
27534	1.2 x 6.5	50	E6.3

TORX®



DIN ISO1173

ITEM NO.		mm	1/4" drive
29513	T 10	25	C6.3
29514	**T 15**	**25**	**C6.3**
29515	T 20	25	C6.3
29516	**T 25**	**25**	**C6.3**
29517	T 27	25	C6.3
29518	**T 30**	**25**	**C6.3**
29519	T 40	25	C6.3



DIN ISO1173

ITEM NO.		mm	1/4" drive
29613	T 10	50	E6.3
29614	**T 15**	**50**	**E6.3**
29615	T 20	50	E6.3
29616	**T 25**	**50**	**E6.3**
29617	T 27	50	E6.3
29618	**T 30**	**50**	**E6.3**
29619	T 40	50	E6.3

TORX® TAMPER RESISTANT



DIN ISO1173

ITREM NO.		mm	1/4" drive
29593	TR 10	25	C6.3
29594	**TR 15**	**25**	**C6.3**
29595	TR 20	25	C6.3
29596	**TR 25**	**25**	**C6.3**
29597	TR 27	25	C6.3
29598	**TR 30**	**25**	**C6.3**
29599	TR 40	25	C6.3

PH
for PHILLIPS recess screws

2 unit on a blister card

ITEM NO.		mm	1/4" drive
27324	PH 1	25	C6.3
26708	**PH 2**	**25**	**C6.3**
27326	PH 3	25	C6.3



Article may deviate from illustration

PZ
for POZIDRIV screws

2 unit on a blister card

ITEM NO.		mm	1/4" drive
26661	PZ 1	25	C6.3
26662	**PZ 2**	**25**	**C6.3**
26663	PZ 3	25	C6.3



Article may deviate from illustration

PH
for PHILLIPS recess screws

ITEM NO.		Qty	mm	1/4" drive
427320	PH 1	10	25	C6.3
427321	**PH 2**	**10**	**25**	**C6.3**
427322	PH 3	10	25	C6.3



Article may deviate from illustration

PZ
for POZIDRIV screws

ITEM NO.		Qty	mm	1/4" drive
427345	PZ 1	10	25	C6.3
427346	**PZ 2**	**10**	**25**	**C6.3**
427347	PZ 3	10	25	C6.3



Article may deviate from illustration

PH BITFLEX
for PHILLIPS recess screws

1 unit on a blister card

ITEM NO.		mm	1/4" drive
26795	PH 1	25	6.3 mm
26796	**PH 2**	**25**	**6.3 mm**
26797	PH 3	25	6.3 mm



Article may deviate from illustration

PZ BITFLEX
for POZIDRIV screws

1 unit on a blister card

ITEM NO.		mm	1/4" drive
26825	PZ 1	25	6.3 mm
26826	**PZ 2**	**25**	**6.3 mm**
26827	PZ 3	25	6.3 mm



Article may deviate from illustration

PH BITFLEX TIN
for PHILLIPS recess screws

in plastic case

ITEM NO.		Qty	mm	1/4" drive
428422	PH 2	15	25	6.3 mm



Article may deviate from illustration

PZ BITFLEX TIN
for POZIDRIV screws

in plastic case

ITEM NO.		Qty	mm	1/4" drive
428446	PZ 2	15	25	6.3 mm



Article may deviate from illustration

PH TIN – 50 MM
for PHILLIPS recess screws

in plastic case

ITEM NO.		Qty	mm	1/4" drive
427552	PH 2	5	50	E6.3



Article may deviate from illustration

PZ TIN – 50 MM
for POZIDRIV screws

in plastic case

ITEM NO.		Qty	mm	1/4" drive
427542	PZ 2	5	50	E6.3



Article may deviate from illustration

COMBIT-BOX® BITFLEX TIN, 7-pcs. set
Order no. 28555 | Order no. 33200

Qty		ITEM NO.	Drive	mm	1/4" drive
1		26294		60	E6.3
1		28421	PH 1	25	C6.3
1		28422	PH 2	25	C6.3
1		28423	PH 3	25	C6.3
1		28445	PZ 1	25	C6.3
1		28446	PZ 2	25	C6.3
1		28447	PZ 3	25	C6.3



Application see p. 169

COMBIT-BOX® BITFLEX TIN, 11-pcs. set
Order no. 28453 | Order no. 28463

Qty		ITEM NO.	Drive	mm	1/4" drive
1		26294		60	E6.3
1		28421	PH 1	25	C6.3
3		28422	PH 2	25	C6.3
1		28423	PH 3	25	C6.3
1		28445	PZ 1	25	C6.3
3		28446	PZ 2	25	C6.3
1		28447	PZ 3	25	C6.3



Application see p. 169

RATCHDRIVE® TIN
Order no. 25104

Qty		ITEM NO.	Drive	mm	1/4" drive
1				60	E6.3
1		27320	PH 1	25	C6.3
1		27321	PH 2	25	C6.3
1		27322	PH 3	25	C6.3
1		27345	PZ 1	25	C6.3
1		27346	PZ 2	25	C6.3
1		27347	PZ 3	25	C6.3



Application see p. 183

RATCHDRIVE® BITFLEX TIN
Order no. 25105

Qty		ITEM NO.	Drive	mm	1/4" drive
1				60	E6.3
1		28421	PH 1	25	C6.3
1		28422	PH 2	25	C6.3
1		28423	PH 3	25	C6.3
1		28445	PZ 1	25	C6.3
1		28446	PZ 2	25	C6.3
1		28447	PZ 3	25	C6.3



Application see p. 183



MADE IN GERMANY
SINCE 1785.



RATCHDRIVE®-BOX

The advantages


- Powerful, fine action ratchet mechanism, integrated in a compact bit box
- One quick-change holder and six high-quality bits in various sets provide just the right tool for every screwdriving job



Easy removal of the bits and quick-change holder.



Insert the quick-change holder (to change ratchet direction, simply insert the bit holder from the other side) ...



and you can apply the convenient, safe ratchet function.

MAXX

Diamond bits



Low contact pressure thanks to fine diamond particles that bite into the screw head

MAXX Diamond bits with the microparticle diamond coating bite into the surface of the screw head recess. Cam-out is reduced in this way by a considerable amount. This is particularly critical when the surrounding surfaces are sensitive or expensive.

With the microparticle diamond coating, WITTE DIAMOND bits provide unbeatable grip and, thanks to the high-grade gold coating, optimum corrosion protection.

PH
for PHILLIPS recess screws



BITFLEX
with the damping zone between the drive and tip



DIN ISO1173

ITEM NO.	PH	mm	1/4" drive
27971	PH 1	25	6.3 mm
27972	PH 2	25	6.3 mm
27973	PH 3	25	6.3 mm

ITEM NO.	PH	mm	1/4" drive
27391	PH 1	25	C6.3
27392	PH 2	25	C6.3
27393	PH 3	25	C6.3

PZ
for POZIDRIV screws



BITFLEX
with the damping zone between the drive and tip



DIN ISO1173

ITEM NO.	PZ	mm	1/4" drive
28011	PZ 1	25	6.3 mm
28012	PZ 2	25	6.3 mm
28013	PZ 3	25	6.3 mm

ITEM NO.	PZ	mm	1/4" drive
27611	PZ 1	25	C6.3
27612	PZ 2	25	C6.3
27613	PZ 3	25	C6.3

PH
for PHILLIPS recess screws

1 unit on a blister card

ITEM NO.	PH	mm	1/4" drive
26630	PH 1	25	C6.3
26631	PH 2	25	C6.3
26632	PH 3	25	C6.3



Article may deviate from illustration

PZ
for POZIDRIV screws

1 unit on a blister card

ITEM NO.	PZ	mm	1/4" drive
26636	PZ 1	25	C6.3
26637	PZ 2	25	C6.3
26638	PZ 3	25	C6.3



Article may deviate from illustration

RATCHDRIVE® DIAMOND

Order no. 25106

Qty	ITEM NO.	Drive	mm	1/4" drive
1	26294		60	E6.3
1	**27391**	PH 1	25	C6.3
1	27392	PH 2	25	C6.3
1	**27393**	PH 3	25	C6.3
1	27611	PZ 1	25	C6.3
1	**27612**	PZ 2	25	C6.3
1	27613	PZ 3	25	C6.3



Application see p. 183

COMBIT-BOX® DIAMOND, 7-pcs. set

12 Order no. 28557 Order no. 33300

Qty	ITEM NO.	Drive	mm	1/4" drive
1	26294		60	E6.3
1	**27391**	PH1	25	C6.3
1	27392	PH2	25	C6.3
1	**27393**	PH3	25	C6.3
1	27611	PZ1	25	C6.3
1	**27612**	PZ2	25	C6.3
1	27613	PZ3	25	C6.3



Application see p. 169

COMBIT-BOX® DIAMOND, 11-pcs. set

12 Order no. 28452 Order no. 28462

Qty	ITEM NO.	Drive	mm	1/4" drive
1	26294		60	E6.3
1	**27391**	PH1	25	C6.3
3	27392	PH2	25	C6.3
1	**27393**	PH3	25	C6.3
1	27611	PZ1	25	C6.3
3	**27612**	PZ2	25	C6.3
1	27613	PZ3	25	C6.3



Application see p. 169



PRO

Bits



188 **Bits**
Industrial bits at a glance

190 PRO Bits
202 PRO bitholder

PRO Bits



Robust quality bits for industrial use

WITTE PRO bits have proved their worth due to their consistently high quality – resulting from state-of-the-art production processes.

The complex hardening process guarantees permanent hardness of 59–61 HRC to meet tough requirements in industry and the trades.

PZ
for POZIDRIV screws



BITFLEX
with the damping zone between the drive and tip

ITEM NO.	⊕	mm	1/4" drive ⬣
28045	PZ 1	25	6.3 mm
28046	PZ 2	25	6.3 mm
28047	PZ 3	25	6.3 mm



DIN ISO1173

ITEM NO.	⊕	mm	1/4" drive ⬣
27043	PZ 0	25	C6.3
27045	PZ 1	25	C6.3
27046	PZ 2	25	C6.3
27047	PZ 3	25	C6.3
27052	PZ 2	32	C6.3
27053	PZ 3	32	C6.3
27048	PZ 4	32	C6.3



DIN ISO1173

ITEM NO.	⊕	mm	1/4" drive ⬣
27545	PZ 1	50	E6.3
27546	PZ 2	50	E6.3
27547	PZ 3	50	E6.3
27548	PZ 4	50	E6.3



Truncated tip
DIN ISO1173

ITEM NO.	⊕	mm	1/4" drive ⬣
27057	PZ 2	25	C6.3



DIN ISO1173

ITEM NO.	⊕	mm	1/4" drive ⬣
27560	PZ 1	70	E6.3
27565	PZ 2	70	E6.3
27570	PZ 3	70	E6.3
27561	PZ 1	90	E6.3
27566	PZ 2	90	E6.3
27571	PZ 3	90	E6.3
27562	PZ 1	110	E6.3
27567	PZ 2	110	E6.3
27572	PZ 3	110	E6.3
27563	PZ 1	125	E6.3
27568	PZ 2	125	E6.3
27573	PZ 3	125	E6.3
27564	PZ 1	150	E6.3
27569	PZ 2	150	E6.3
27574	PZ 3	150	E6.3



DIN ISO1173

ITEM NO.	⊕	mm	5/16" drive ⬣
27811	PZ 1	32	C8
27812	PZ 2	32	C8
27813	PZ 3	32	C8
27814	PZ 4	32	C8



DIN ISO1173

ITEM NO.	⊕	mm	Drive 5.5 mm ⬣
30701	PZ 1	50	A5.5
30702	PZ 2	50	A5.5
30703	PZ 3	50	A5.5



DIN ISO1173

ITEM NO.	⊕	mm	7.0 mm drive ⬣
30801	PZ 1	53	G7
30802	PZ 2	53	G7
30803	PZ 3	53	G7

PH
for PHILLIPS recess screws



BITFLEX
with the damping zone
between the drive and tip

ITEM NO.		mm	1/4" drive
28021	PH 1	25	6.3 mm
28022	PH 2	25	6.3 mm
28023	PH 3	25	6.3 mm



DIN ISO1173

ITEM NO.		mm	1/4" drive
27018	PH 0	25	C6.3
27020	PH 1	25	C6.3
27021	PH 2	25	C6.3
27022	PH 3	25	C6.3
27012	PH 2	32	C6.3
27013	PH 3	32	C6.3
27023	PH 4	32	C6.3



DIN ISO1173

ITEM NO.		mm	1/4" drive
27520	PH 1	50	E6.3
27521	PH 2	50	E6.3
27522	PH 3	50	E6.3
27523	PH 4	50	E6.3



Truncated tip
DIN ISO1173

ITEM NO.		mm	1/4" drive
27036	PH 2	25	C6.3



DIN ISO1173

ITEM NO.		mm	1/4" drive
27450	PH 1	70	E6.3
27455	PH 2	70	E6.3
27460	PH 3	70	E6.3
27451	PH 1	90	E6.3
27456	PH 2	90	E6.3
27461	PH 3	90	E6.3
27452	PH 1	110	E6.3
27457	PH 2	110	E6.3
27462	PH 3	110	E6.3
27453	PH 1	125	E6.3
27458	PH 2	125	E6.3
27463	PH 3	125	E6.3
27454	PH 1	150	E6.3
27459	PH 2	150	E6.3
27464	PH 3	150	E6.3



DIN ISO1173

ITEM NO.		mm	5/16" drive
27801	PH 1	32	C8
27802	PH 2	32	C8
27803	PH 3	32	C8
27804	PH 4	32	C8



DIN ISO1173

ITEM NO.		mm	5.5 mm drive
30691	PH 1	50	A5.5
30692	PH 2	50	A5.5
30693	PH 3	50	A5.5



DIN ISO1173

ITEM NO.		mm	7.0 mm drive
30791	PH 1	53	G7
30792	PH 2	53	G7
30793	PH 3	53	G7

TORX®



DIN ISO1173

ITEM NO.		mm	1/4" drive
29459	T 4	25	C6.3
29460	T 5	25	C6.3
29490	T 6	25	C6.3
29495	T 7	25	C6.3
29501	T 8	25	C6.3
29502	T 9	25	C6.3
29503	T 10	25	C6.3
29504	T 15	25	C6.3
29505	T 20	25	C6.3
29506	T 25	25	C6.3
29507	T 27	25	C6.3
29508	T 30	25	C6.3
29509	T 40	25	C6.3



DIN ISO1173

ITEM NO.		mm	1/4" drive
29603	T 10	50	E6.3
29604	T 15	50	E6.3
29605	T 20	50	E6.3
29606	T 25	50	E6.3
29607	T 27	50	E6.3
29608	T 30	50	E6.3
29609	T 40	50	E6.3



DIN ISO1173

ITEM NO.		mm	1/4" drive
29671	T 10	70	E6.3
29672	T 15	70	E6.3
29673	T 20	70	E6.3
29674	T 25	70	E6.3
29675	T 27	70	E6.3
29676	T 30	70	E6.3
29677	T 40	70	E6.3
29681	T 10	90	E6.3
29682	T 15	90	E6.3
29683	T 20	90	E6.3
29684	T 25	90	E6.3
29685	T 27	90	E6.3
29686	T 30	90	E6.3
29687	T 40	90	E6.3
29691	T 10	150	E6.3
29692	T 15	150	E6.3
29693	T 20	150	E6.3
29694	T 25	150	E6.3
29695	T 27	150	E6.3
29696	T 30	150	E6.3
29697	T 40	150	E6.3



DIN ISO1173

ITEM NO.		mm	5/16" drive
27820	T 25	35	C8
27821	T 27	35	C8
27822	T 30	35	C8
27823	T 40	35	C8
27824	T 45	35	C8
27825	T 50	35	C8
27827	T55	35	C8

TORX® TAMPER RESISTANT



DIN ISO1173

ITREM NO.		mm	1/4" drive
29477	TR 7	25	C6.3
29478	TR 8	25	C6.3
29479	TR 9	25	C6.3
29480	TR 10	25	C6.3
29481	TR 15	25	C6.3
29482	TR 20	25	C6.3
29483	TR 25	25	C6.3
29484	TR 27	25	C6.3
29485	TR 30	25	C6.3
29486	TR 40	25	C6.3

Five-star



DIN ISO1173

ITEM NO.		mm	1/4" drive
26870	IPR 10	25	C6.3
26871	IPR 15	25	C6.3
26872	IPR 20	25	C6.3
26873	IPR 25	25	C6.3
26874	IPR 27	25	C6.3
26875	IPR 30	25	C6.3
26876	IPR 40	25	C6.3

SPANNER BITS



Tamper-proof bits
for security fasteners

ITEM NO.		mm	mm	1/4" drive
26481	4	0.8 x 3.5	25	C6.3
26482	6	0.8 x 4.3	25	C6.3
26483	8	1.0 x 5.3	25	C6.3
26484	10	1.2 x 6.2	25	C6.3

Slotted



DIN ISO1173

ITEM NO.	mm	mm	1/4" drive
26410	0.5 x 4.0	25	C6.3
26411	0.6 x 4.5	25	C6.3
26412	0.8 x 5.5	25	C6.3
26413	1.0 x 6.0	25	C6.3
26414	1.2 x 6.5	25	C6.3
26415	1.6 x 8.0	25	C6.3
26416	1.6 x 9.0	38	C6.3



DIN ISO1173

ITEM NO.	mm	mm	1/4" drive
27510	0.5 x 4.0	50	E6.3
27511	0.6 x 4.5	50	E6.3
27512	0.8 x 5.5	50	E6.3
27513	1.0 x 6.0	50	E6.3
27514	1.2 x 6.5	50	E6.3
27515	1.6 x 8.0	50	E6.3
27516	1.6 x 9.0	50	E6.3



DIN ISO1173

ITEM NO.	mm	mm	5/16" drive
27828	0.8 x 5.5	41	C8
27831	1.0 x 6.0	41	C8
27829	1.2 x 6.5	41	C8
27832	1.6 x 8.0	41	C8
27833	1.6 x 10.0	41	C8
27834	2.0 x 12.0	41	C8



DIN ISO1173

ITEM NO.	mm	mm	5.5 mm drive
30680	0.5 x 4.0	50	A5.5
30681	0.6 x 4.5	50	A5.5
30682	0.8 x 5.5	50	A5.5
30683	1.0 x 6.0	50	A5.5
30684	1.2 x 6.5	50	A5.5
30685	1.6 x 8.0	50	A5.5



DIN ISO1173

ITEM NO.	mm	mm	7.0 mm drive
30780	0.5 x 4.0	53	G7
30781	0.6 x 4.5	53	G7
30782	0.8 x 5.5	53	G7
30783	1.0 x 6.0	53	G7
30784	1.2 x 6.5	53	G7
30785	1.6 x 8.0	53	G7

XZN triple-square



DIN ISO1173

ITEM NO.		mm	1/4" drive
27414	M 4	25	C6.3
27415	M 5	25	C6.3
27416	M 6	25	C6.3
27418	M 8	25	C6.3



DIN ISO1173

ITEM NO.		mm	5/16" drive
27840	M 4	35	C8
27841	M 5	35	C8
27842	M 6	35	C8
27843	M 8	35	C8
27844	M 10	35	C8
27845	M 12	35	C8

Square drive



DIN ISO1173

ITEM NO.		mm	1/4" drive
27091	1	25	C6.3
27092	2	25	C6.3
27093	3	25	C6.3



DIN ISO1173

ITEM NO.		mm	1/4" drive
27591	1	50	E6.3
27592	2	50	E6.3
27593	3	50	E6.3

MODUL PHILLIPS

for +/- screws in electrical installations



DIN ISO1173

ITEM NO.		mm	1/4" drive
26461	PH 1 / MODUL	70	E6.3
26462	PH 2 / MODUL	70	E6.3

MODUL POZIDRIV

for +/- screws in electrical installations



DIN ISO1173

ITEM NO.		mm	1/4" drive
26471	PZ 1 / MODUL	70	E6.3
26472	PZ 2 / MODUL	70	E6.3

TORQ-SET



DIN ISO1173

ITEM NO.		mm	1/4" drive
27330	TS 0	25	C6.3
27331	TS 1	25	C6.3
27332	TS 2	25	C6.3
27333	TS 3	25	C6.3
27334	TS 4	25	C6.3
27335	TS 5	25	C6.3
27336	TS 6	25	C6.3
27337	TS 8	25	C6.3
27338	TS 10	25	C6.3
27339	TS 1/4"	32	C6.3



DIN ISO1173

ITEM NO.		mm	5/16" drive
27394	TS 8	32	C8
27395	TS 10	32	C8
27396	TS 1/4"	32	C8
27397	TS 5/16"	32	C8
27398	TS 3/8"	32	C8

Internal hex



DIN ISO1173

ITEM NO.	○	mm	1/4" drive ⬣
27080	1.5	25	C6.3
27081	2	25	C6.3
27082	2.5	25	C6.3
27083	3	25	C6.3
27084	4	25	C6.3
27085	5	25	C6.3
27086	6	25	C6.3
27087	8	25	C6.3



DIN ISO1173

ITEM NO.	○	mm	1/4" drive ⬣
27193	3	50	E6.3
27194	4	50	E6.3
27195	5	50	E6.3
27196	6	50	E6.3
27198	8	50	E6.3



DIN ISO1173

ITEM NO.	○	mm	5/16" drive ⬣
27851	4	30	C8
27852	5	30	C8
27853	6	30	C8
27854	7	30	C8
27855	8	30	C8
27856	10	30	C8



DIN ISO1173

ITEM NO.	○	mm	5.5 mm drive ⬣
30753	3	50	A5.5
30754	4	50	A5.5
30755	5	50	A5.5
30756	6	50	A5.5
30758	8	50	A5.5

Ball-end



DIN ISO1173

ITEM NO.	○	mm	1/4" drive ⬣
27183	3	50	E6.3
27184	4	50	E6.3
27185	5	50	E6.3
27186	6	50	E6.3

External hex



Magnetic
DIN ISO1173

ITEM NO.	⬣	mm	1/4" drive ⬣
26231	5	45	E6.3
26232	5.5	45	E6.3
26233	6	45	E6.3
26234	7	45	E6.3
26235	8	45	E6.3
26236	9	45	E6.3
26237	10	45	E6.3
26238	11	45	E6.3
26239	12	45	E6.3
26240	13	45	E6.3
26241	1/4"	45	E6.3
26242	3/8"	45	E6.3
26243	5/16"	45	E6.3

TRI-WING



DIN ISO1173

ITEM NO.	▽	mm	1/4" drive ⬣
27480	TW 0	25	C6.3
27481	TW 1	25	C6.3
27482	TW 2	25	C6.3
27483	TW 3	25	C6.3
27484	TW 4	25	C6.3
27485	TW 5	25	C6.3

1/4" Adapters



DIN ISO1173

ITEM NO.	○	mm	1/4" drive ⬣
26298	1/4"	25	C6.3
26398	1/4"	50	C6.3

Double-ended bits



ITEM NO.	⊕	⊕	mm	1/4" drive ⬣
29010	PH 1	PZ 1	60	6.3 mm
29011	PH 2	PZ 2	60	6.3 mm
29012	PH 3	PZ 3	60	6.3 mm



ITEM NO.	⊕	⊖ mm	mm	1/4" drive ⬣
29001	PH 1	0.6 x 4.5	60	6.3 mm
29002	PH 2	0.8 x 5.5	60	6.3 mm
29003	PH 3	1.0 x 6.0	60	6.3 mm



ITEM NO.	⊕	⊖ mm	mm	1/4" drive ⬣
29004	PZ 1	0.6 x 4.5	60	6.3 mm
29005	PZ 2	0.8 x 5.5	60	6.3 mm
29006	PZ 3	1.0 x 6.0	60	6.3 mm



ITEM NO.	⊖ mm	⊖ mm	mm	1/4" drive ⬣
29007	0.5 x 3.0	0.6 x 4.5	60	6.3 mm
29008	0.8 x 5.5	1.0 x 6.0	60	6.3 mm
29009	1.2 x 6.5	1.6 x 8.0	60	6.3 mm



ITEM NO.	✪	✪	mm	1/4" drive
29016	T 10	T 15	60	6.3 mm
29017	T 20	T 25	60	6.3 mm
29018	T 30	T 40	60	6.3 mm

PH
for PHILLIPS recess screws

2 unit on a blister card

ITEM NO.		mm	1/4" drive
26720	PH 1	25	C6.3
26721	PH 2	25	C6.3
26722	PH 3	25	C6.3



Article may deviate from illustration

PZ
for POZIDRIV screws

2 unit on a blister card

ITEM NO.		mm	1/4" drive
26716	PZ 1	25	C6.3
26717	PZ 2	25	C6.3
26718	PZ 3	25	C6.3



Article may deviate from illustration

TORX®

2 unit on a blister card

ITEM NO.		mm	1/4" drive
26810	T 10	25	C6.3
26811	T 15	25	C6.3
26812	T 20	25	C6.3
26813	T 25	25	C6.3
26817	T 27	25	C6.3
26814	T 30	25	C6.3
26815	T 40	25	C6.3



Article may deviate from illustration

PH BITLFEX
for PHILLIPS recess screws

2 unit on a blister card

ITEM NO.		mm	1/4" drive
26771	PH 1	25	6.3 mm
26772	PH 2	25	6.3 mm
26773	PH 3	25	6.3 mm



Article may deviate from illustration

PZ BITFLEX
for POZIDRIV screws

2 unit on a blister card

ITEM NO.		mm	1/4" drive
26801	PZ 1	25	6.3 mm
26802	PZ 2	25	6.3 mm
26803	PZ 3	25	6.3 mm



Article may deviate from illustration

PH
for PHILLIPS recess screws

in plastic case

ITEM NO.		Qty	mm	1/4" drive
427020	PH 1	25	25	C6,3
427021	PH 2	25	25	C6,3
427022	PH 3	15	25	C6,3



Article may deviate from illustration

PZ
for POZIDRIV screws

in plastic case

ITEM NO.		Qty	mm	1/4" drive
427045	PZ 1	25	25	C6,3
427046	PZ 2	25	25	C6,3
427047	PZ 3	15	25	C6,3



Article may deviate from illustration

TORX®

in plastic case

ITEM NO.		Qty	mm	1/4" drive
429503	T 10	5	25	C6,3
429504	T 15	5	25	C6,3
429505	T 20	5	25	C6,3
429506	T 25	5	25	C6,3
429507	T 27	5	25	C6,3
429508	T 30	5	25	C6,3
429509	T 40	5	25	C6,3



Article may deviate from illustration

PH BITLFEX
for PHILLIPS recess screws

in plastic case

ITEM NO.		Qty	mm	1/4" drive
428022	PH 2	25	25	C6,3



Article may deviate from illustration

PZ BITFLEX
for POZIDRIV screws

in plastic case

ITEM NO.		Qty	mm	1/4" drive
428046	PZ 2	25	25	6,3 mm
428047	PZ 3	15	25	6,3 mm



Article may deviate from illustration

PH – 50 mm
for PHILLIPS recess screws

in plastic case

ITEM NO.		Qty	mm	1/4" drive
427520	PH 1	10	50	E6,3
427521	PH 2	10	50	E6,3
427522	PH 3	10	50	E6,3



Article may deviate from illustration

PZ – 50 mm
for POZIDRIV screws

in plastic case

ITEM NO.		Qty	mm	1/4" drive
427545	PZ 1	10	50	E6,3
427546	PZ 2	10	50	E6,3
427547	PZ 3	10	50	E6,3



Article may deviate from illustration

TORX® – 50 mm

in plastic case

ITEM NO.		Qty	mm	1/4" drive
429603	T 10	5	50	E6,3
429604	T 15	5	50	E6,3
429605	T 20	5	50	E6,3
429606	T 25	5	50	E6,3
429607	T 27	5	50	E6,3
429608	T 30	5	50	E6,3
429609	T 40	5	50	E6,3



Article may deviate from illustration

Bitholders

With permanent magnet



ITEM NO.	Drive	mm
26006	1/4" ⬣ E6.3 DIN 3126 Universal without snap ring	60



ITEM NO.	Drive	mm
26001	1/4" ⬣ E6.3 DIN 3126 Universal with snap ring	75
26014	Universal with snap ring	150
26024	Universal with snap ring	200



ITEM NO.	Drive	mm
26294	1/4" ⬣ E6.3 DIN 3126 Universal with quick-action chuck and snap ring	60



ITEM NO.	Drive	mm
28310	1/4" ⬣ E6.3 DIN 3126 Depth stop with magnetic retainer function, without snap ring	60



ITEM NO.	Drive	mm
26002	5.5 mm ⬣ A5.5 DIN 3126 with snap ring	79



ITEM NO.	Drive	mm
26003	7.0 mm ⬣ G7 DIN 3126 with snap ring	77



ITEM NO.	Drive	mm
26005	11.0 mm with snap ring	82



ITEM NO.	Drive	mm
26009	SDS plus 10.0 mm SDS plus with snap ring	78

Magnetic holders

1 unit on a blister card

ITEM NO.			mm	1/4" drive ⬣
26704		26294	60	E6.3 DIN 3126
28319		28310	60	E6.3 DIN 3126
26703		26006	60	E6.3 DIN 3126
26010		26001	75	E6.3 DIN 3126




Article may deviate from illustration

429702 Magnetic screw holders

in a plastic case

∅ mm	mm	Colour
4.5	21	
6.0	21	
8.0	21	





Article may deviate from illustration

RATCHDRIVE® INDUSTRY

Order no. 25101

Qty		ITEM NO.	Drive	mm	1/4" drive ⬣
1				60	E6,3
1		27020	PH 1	25	C6.3
1		27021	PH 2	25	C6.3
1		27022	PH 3	25	C6.3
1		27045	PZ 1	25	C6.3
1		27046	PZ 2	25	C6.3
1		27047	PZ 3	25	C6.3



Application see p. 183

RATCHDRIVE® INDUSTRY

Order no. 25102

Qty		ITEM NO.	Drive	mm	1/4" drive ⬣
1				60	E6,3
1		29503	T 10	25	C6.3
1		29504	T 15	25	C6.3
1		29505	T 20	25	C6.3
1		29506	T 25	25	C6.3
1		29508	T 30	25	C6.3
1		29509	T 40	25	C6.3



Application see p. 183

COMBIT-BOX® INDUSTRY, 7-pcs. set

12 Order no. 28551 Order no. 33400

Qty		ITEM NO.	Drive	mm	1/4" drive
1		26294		60	E6.3
1		27020	PH 1	25	C6.3
1		27021	PH 2	25	C6.3
1		27022	PH 3	25	C6.3
1		27045	PZ 1	25	C6.3
1		27046	PZ 2	25	C6.3
1		27047	PZ 3	25	C6.3



Application see p. 169

COMBIT-BOX® INDUSTRY, 7-pcs. set

12 Order no. 28552 Order no. 33401

Qty		ITEM NO.	Drive	mm	1/4" drive
1		26294		60	E6.3
1		29503	T 10	25	C6.3
1		29504	T 15	25	C6.3
1		29505	T 20	25	C6.3
1		29506	T 25	25	C6.3
1		29508	T 30	25	C6.3
1		29509	T 40	25	C6.3



Application see p. 169

COMBIT-BOX® INDUSTRY, 11-pcs. set

12 Order no. 28456 Order no. 28466

Qty		ITEM NO.	Drive	mm	1/4" drive
1		26294		60	E6.3
1		29503	T 10	25	C6.3
2		29504	T 15	25	C6.3
2		29505	T 20	25	C6.3
2		29506	T 25	25	C6.3
2		29508	T 30	25	C6.3
1		29509	T 40	25	C6.3



Application see p. 169

COMBIT-BOX® INDUSTRY, 11-pcs. set

12 Order no. 28457 Order no. 28467

Qty		ITEM NO.	Drive	mm	1/4" drive
1		26294		60	E6.3
1		29503	T 10	25	C6.3
1		29504	T 15	25	C6.3
1		29505	T 20	25	C6.3
1		29506	T 25	25	C6.3
1		29508	T 30	25	C6.3
1		29509	T 40	25	C6.3
1		27020	PH 1	25	C6.3
2		27021	PH 2	25	C6.3
1		27022	PH 3	25	C6.3



Application see p. 169



COMBIT-BOX® INDUSTRY, 11-pcs. set

Order no. 28458 | Order no. 28468

Qty	ITEM NO.	Drive	mm	1/4" drive
1	26294		60	E6.3
1	29503	T 10	25	C6.3
1	29504	T 15	25	C6.3
1	29505	T 20	25	C6.3
1	29506	T 25	25	C6.3
1	29508	T 30	25	C6.3
1	29509	T 40	25	C6.3
1	27045	PZ 1	25	C6.3
2	27046	PZ 2	25	C6.3
1	27047	PZ 3	25	C6.3



Application see p. 169

COMBIT-BOX® INDUSTRY, 11-pcs. set

Order no. 28454 | Order no. 28464

Qty	ITEM NO.	Drive	mm	1/4" drive
1	26294		60	E6.3
1	27020	PH 1	25	C6.3
2	27021	PH 2	25	C6.3
2	27022	PH 3	25	C6.3
2	27045	PZ 1	25	C6.3
2	27046	PZ 2	25	C6.3
1	27047	PZ 3	25	C6.3



Application see p. 169

COMBIT-BOX® INDUSTRY, 11-pcs. set

Order no. 28455 | Order no. 28465

Qty	ITEM NO.	Drive	mm	1/4" drive
1	26294		60	E6.3
1	27020	PH 1	25	C6.3
2	27021	PH 2	25	C6.3
1	27022	PH 3	25	C6.3
1	27045	PZ 1	25	C6.3
2	27046	PZ 2	25	C6.3
1	27047	PZ 3	25	C6.3
1	26412	0.8 x 5.5	25	C6.3
1	26414	1.2 x 6.5	25	C6.3



Application see p. 169

31200 BITBOX 24-pcs. set

Bit and ratchet set

Qty	ITEM NO.	Drive	mm	1/4" drive
1			51	E6.3
1				
1	27020	PH 1	25	C6.3
3	27021	PH 2	25	C6.3
1	27022	PH 3	25	C6.3
1	27045	PZ 1	25	C6.3
3	27046	PZ 2	25	C6.3
1	27047	PZ 3	25	C6.3
1	29503	T 10	25	C6.3
1	29504	T 15	25	C6.3
1	29505	T 20	25	C6.3
1	29506	T 25	25	C6.3
1	29508	T 30	25	C6.3
1	29509	T 40	25	C6.3
1	26412	0.8 x 5.5	25	C6.3
1	26414	1.2 x 6.5	25	C6.3
1		8.0	25	C6.3
1		10.0	25	C6.3
1		13.0	25	C6.3
1			25	C6.3





312012 BITBOX 32-pcs. set

incl. 30 bits and a holder

Qty	ITEM NO.	Drive	mm	1/4" drive
1	26006		60	E6.3
1	27020	PH 1	25	C6.3
7	27021	PH 2	25	C6.3
1	27022	PH 3	25	C6.3
1	27045	PZ 1	25	C6.3
7	27046	PZ 2	25	C6.3
1	27047	PZ 3	25	C6.3
1	29503	T 10	25	C6.3
2	29504	T 15	25	C6.3
3	29505	T 20	25	C6.3
3	29506	T 25	25	C6.3
2	29508	T 30	25	C6.3
1	29509	T 40	25	C6.3
1	26298		25	C6.3



BITCOMMANDER



- Includes three high-quality sockets
- Robust, durable plastic housing
- Includes 1/4" reversible ratchet and convenient magnetic holder
- Up to 30 WITTE bits in one convenient set
- Compact storage – all present and correct



At a moment's notice
Bitcommander has a convenient clip – ideal for mobile work.



Magnetic insert
as convenient holder for bits and fasteners

The advantages

- High-quality and safe: robust plastic housing for longer service lifetimes
- Compact and tidy
- Comprehensive: all popular tool sizes included
- Mobile solution for easy transport – carry it with you

28035 BITCOMMANDER, 35-pcs. set

Qty	Drive		mm	1/4" drive
1			60	E6.3
1			95	
1			25	C6.3
2		PH1	25	C6.3
2		PH2	25	C6.3
2		PH3	25	C6.3
2		PZ1	25	C6.3
2		PZ2	25	C6.3
2		PZ3	25	C6.3
2		T10	25	C6.3
2		T15	25	C6.3
2		T20	25	C6.3
2		T25	25	C6.3
2		T30	25	C6.3
2		T40	25	C6.3
1		2.0	25	C6.3
1		3.0	25	C6.3
1		4.0	25	C6.3
1		5.0	25	C6.3
1		6.0	25	C6.3
1		8.0	25	C6.3
1		10.0	25	C6.3
1		13.0	25	C6.3



28020 BITCOMMANDER, 20-pcs. set

Qty	Drive		mm	1/4" drive
1			60	E6.3
1			95	
1			25	C6.3
1		PH1	25	C6.3
2		PH2	25	C6.3
1		PH3	25	C6.3
1		PZ1	25	C6.3
2		PZ2	25	C6.3
1		PZ3	25	C6.3
1		T10	25	C6.3
1		T15	25	C6.3
1		T20	25	C6.3
1		T25	25	C6.3
1		T30	25	C6.3
1		T40	25	C6.3
1		8.0	25	C6.3
1		10.0	25	C6.3
1		13.0	25	C6.3



PRO

Gift boxes



97024 Bottle-opener
in high-quality packaging

ITEM NO.	mm
97024	115 x 34



97023 Corkscrew
in high-quality packaging

ITEM NO.	mm
97023	95





97022 Duo gift box
Bottle-opener and corkscrew in high-quality packaging

ITEM NO.	mm	mm	mm	mm
97023			59	95
97024	43	115 x 34		





SOFT CASE

Sets




SETS



Always within reach
Thanks to the practical belt loop

Easy removal
Open belt pocket provides good retention but easy accessibility



Quick-access set
individual tool compilation in one compact set

Very hard-wearing
Thanks to high-grade materials and reinforced seams

Light and compact
Easy to stow, even where space is at a premium

Ergonomically designed, tidy arrangement
Optimum, fast removal of the tool needed



More than just a helpful aid
Durable, robust materials and heavy-duty zip

Versatile
Premium tools for a wide variety of applications

SET characteristics



Room for pliers and screwdrivers



Robust textile coupled with reinforced seams guarantee the wallet stands up to hard wear

The ideal companion for anyone who prefers not to carry a hard case or metal tool case around: WITTE sets in textile bags are light and easy to transport, but still provide ample protection for your tools. The combination of materials and the way they are processed guarantee impressive durability.

The advantages

- Safe: ample protection for your tools
- Mobile: low weight, less space required
- Resilient: thanks to robust materials and good craftsmanship in first-rate WITTE quality
- Flexible: available in a number of tool combinations for different fields of application
- High-quality WITTE tools, made in Germany

WITTE MINISET 1, 5-pcs. set
Order no. 301142

Material: polyester 1680D
Internal dimensions: 240 mm x 270 mm
Weight: 1000 g



	mm
SB 1.0 x 5.5 x 125	115 x 34
SB 1.2 x 6.5 x 125	115 x 34
PH 2 x 100	115 x 34

Side-cutters MH 3.0 / H 2.3 / P 1.6	160 mm
Radio and telephone engineer's pliers MH 2.8 / H 1.8	200 mm

WITTE MEDISET 1, 11-pcs. set
Order no. 301212

Material: polyester 1680D
Internal dimensions: 280 mm x 310 mm
Weight: 2272 g



	mm
T 15 x 80	105 x 25
T 20 x 100	105 x 25
T 25 x 100	105 x 25
T 30 x 115	115 x 34
T 40 x 125	125 x 37

Side-cutters MH 3.0 / H 2.3 / P 1.6	160 mm
Radio and telephone engineer's pliers MH 2.8 / H 1.8	200 mm
Slip-joint pliers R 1/8"–1 1/4" / S 6–38 mm	250 mm

Ratchdrive
PH 2, PH 3, PZ 2, PZ 3, SB 4.5, SB 5.5

Set of ball-end offset screwdrivers
1.5-2.0-2.5-3.0-4.0-5.0-6.0-8.0-10.0

Carpenter's wooden rule Joints with metal fittings	2000 mm

WITTE MINISET 3 VDE, 3-pcs. set
Order no. 301172

Material: polyester 1680D
Dimensions: 135 mm x 240 mm
Weight: 468 g



	mm
EL 0.8 x 4.0 x 100	105 x 25
PH 2 x 100	115 x 34

VDE multifunction side-cutters MH 3.5 / H 2.5 / P 2.0	180 mm

WITTE MINISET 4 VDE, 4-pcs. set
Order no. 301182

Material: polyester 1680D
Dimensions: 135 mm x 240 mm
Weight: 577 g



	mm
Voltage tester SB 3.0 x 65	88 x 21
EL 0.8 x 4.0 x 100	105 x 25
PH 2 x 100	115 x 34

VDE side-cutters MH 3.0 / H 2.3 / P 1.6	160 mm

WITTE MINISET 1 VDE, 5-pcs. set
Order no. 301152

Material: polyester 1680D
Internal dimensions: 240 mm x 270 mm
Weight: 1049 g



	mm
EL 1.0 x 4.0 x 100	105 x 25
EL 0.8 x 5.5 x 125	115 x 34
PH 2 x 100	115 x 34

VDE side-cutters MH 3.0 / H 2.3 / P 1.6	160 mm
Radio and telephone engineer's VDE pliers MH 2.8 / H 1.8	200 mm

WITTE MINISET 2 VDE Slim, 5-pcs. set
Order no. 301162

Material: polyester 1680D
Internal dimensions: 240 mm x 270 mm
Weight: 1040 g



	mm
EL 1.0 x 5.5 x 125 (slim)	115 x 34
Voltage tester SB 3.0 x 65	88 x 21
PH 2 x 100 (slim)	115 x 34

VDE side-cutters MH 3.0 / H 2.3 / P 1.6	160 mm
Radio and telephone engineer's VDE pliers MH 2.8 / H 1.8	200 mm

WITTE MEDISET 1 VDE, 11-pcs. set
Order no. 301202

Material: polyester 1680D
Internal dimensions: 280 mm x 310 mm
Weight: 1912 g



	mm
EL 1.0 x 2.5 x 75	105 x 25
EL 0.8 x 4.0 x 100	105 x 25
EL 0.4 x 5.5 x 125	115 x 34
Voltage tester SB 3.0 x 65	88 x 21
PH 2 x 100	115 x 34
PZ 2 x 100	115 x 34

VDE side-cutters MH 3.0 / H 2.3 / P 1.6	160 mm
Radio and telephone engineer's VDE pliers MH 2.8 / H 1.8	200 mm
VDE wire stripper Ø 5 mm / 10 mm²	160 mm

Set of key wrenches
1.5-2.0-2.5-3.0-4.0-5.0-6.0-8.0-10.0

Carpenter's wooden rule Joints with metal fittings	2000 mm

WITTE MAXISET 1 VDE, 20-pcs. set
Order no. 301262

Material: polyester 1680D
Internal dimensions: 270 mm x 400 mm
Weight: 2625 g



	mm
EL 1.0 x 2.5 x 75	105 x 25
EL 0.8 x 4.0 x 100	105 x 25
EL 0.4 x 5.5 x 125	115 x 34
Voltage tester SB 3.0 x 65	88 x 21
PH 1 x 80	105 x 25
PH 2 x 100	115 x 34
PZ 1 x 80	105 x 25
PZ 2 x 100	115 x 34
T 10 x 100	105 x 25
T 15 x 100	105 x 25
T 20 x 75	105 x 25
T 25 x 60	105 x 25

VDE multifunction pliers MH 3.5 / H 2.5 / P 2.0	180 mm
Radio and telephone engineer's VDE pliers MH 2.8 / H 1.8	200 mm
VDE combination pliers MH 2.8 / H 2.5 / P 1.6	180 mm

Set of key wrenches
1.5-2.0-2.5-3.0-4.0-5.0-6.0-8.0-10.0

Switch-cabinet key

Propelling pencil with sharpener
Lead thickness 5.6 mm, clip and plunger made of metal

Carpenter's wooden rule Joints with metal fittings	2000 mm


Spirit level with 2 tubes	250 mm

POS

Displays and accessories



POS system, unassembled, RAL 9006
Order no. 46910, width 100 x height 220 cm, white aluminium, without light box



POS system, unassembled, RAL 9005
Order no. 46911, width 100 x height 220 cm, black, without light box




POS light box
Order no. 30301, width 98 x height 37 x depth 24.5 cm,
for inserting in the POS system, with insert sheet




POS magnetic film
Order no. 46912, width 100 x height 40 cm,
brand panel for the POS system



POS revolving sales stand, assembled, 3-sided
Order no. 46913, height 185 x depth 40 cm



POS hooks for perforated panels, zinc-plated (silver)
Order no. 85810, length 14 cm, packed in 10s



POS hooks for perforated panels, powder-coated (black)
Order no. 85820, length 14 cm, packed in 10s



POS double hooks for perforated panels, zinc-plated (silver)
Order no. 85830, length 10 cm, packed in 10s



POS double hooks for perforated panels, powder-coated (black)
Order no. 85840, length 10 cm, packed in 10s



POS perforated wall stand with 11 hooks for screwdrivers
Order no. 85800, width 50 x depth 36 cm, incl. brand panel,
without screwdrivers, black, other colours on request



Suggested configuration

POS perforated wall stand with 5 hooks for T-handles
Order no. 23820, width 50 x height 23 x depth 17 cm, incl. brand panel,
without screwdrivers, black, other colours on request



Suggested configuration

POS – Perforated wall stand for 125 screwdrivers
Order no. 22491, width 100 x depth 26 cm, incl. brand panel,
without screwdrivers



Suggested configuration

Header panel with supplementary 9-hook display
Order no. 26756, width 50 x depth 18 cm, without self-service boxes,
black, other colours on request

Supplementary 9-hook display
Order no. 26757, width 50 x depth 18 cm, black,
other colours on request



Suggested configuration

Header panel with supplementary 9-hook display
Order no. 26756, width 50 x depth 18 cm, without blister cards,
black, other colours on request

Supplementary 9-hook display
Order no. 26757, width 50 x depth 18 cm, black,
other colours on request



Suggested configuration

POS display for screwdrivers, 40 units,


Order no. 230008, sales display for sets, width 35 x height 63 x depth 35 cm,
incl. brand panel, without screwdrivers



Suggested configuration

POS display for screwdrivers, 55 units,

Order no. 230009, width 48 x height 44 x depth 26.5 cm,
incl. brand panel, without screwdrivers



Suggested configuration

POS display for screwdriver sets, 24 units,

Order no. 230006, width 37 x height 90 x depth 37 cm,
incl. brand panel, without screwdriver sets




Suggested configuration

POS counter display for bit boxes and self-service boxes, without content

Order no. 141172, width 27 x height 42 x depth 31 cm, without self-service boxes



Suggested configuration



Suggested configuration

Index of products

Item nos. from 967 to 691008

ITEM NO.	PAGE
967	20
969	50
22491	227
23820	226
24072	106
24083	106
24090	42
24856	106
24857	106
25101	203
25102	203
25103	173
25104	181
25105	181
26001	202
26002	202
26003	202
26005	202
26006	202
26009	202
26010	203
26014	202
26024	202
26231	196
26232	196
26233	196
26234	196
26235	196
26236	196
26237	196
26238	196
26239	196
26240	196
26241	196
26242	196
26243	196
26294	202
26298	197
26375	62
26398	197
26410	195
26411	195
26412	195
26413	195
26414	195
26415	195
26416	195
26431	177
26432	177
26434	177
26461	195
26462	195
26471	195
26472	195
26511	172
26512	172
26513	172
26521	172
26522	172
26523	172
26530	172
26531	172
26532	172
26533	172
26534	172
26535	172
26536	172
26630	185
26631	185
26632	185
26636	185
26637	185
26638	185
26661	178
26662	178
26663	178
26703	203
26704	203
26708	178
26716	198
26717	198
26718	198
26720	198
26721	198
26722	198
26756	227
26757	227
26771	199
26772	199
26773	199
26795	179
26796	179
26797	179
26801	199
26802	199
26803	199
26810	198
26811	198
26812	198
26813	198
26814	198
26815	198
26817	198
26825	179
26826	179
26827	179
26870	193
26871	193
26872	193
26873	193
26874	193
26875	193
26876	193
27012	192
27013	192
27018	192
27020	192
27021	192
27022	192
27023	192
27036	192
27043	191
27045	191
27046	191
27047	191
27048	191
27052	191
27053	191
27057	191
27080	196
27081	196
27082	196
27083	196
27084	196
27085	196
27086	196
27087	196
27091	195
27092	195
27093	195
27120	175
27121	175
27122	175
27123	175
27183	196
27184	196
27185	196
27186	196
27193	196
27194	196
27195	196
27196	196
27198	196
27245	175
27246	175
27247	175
27248	175
27320	177
27321	177
27322	177
27324	178
27326	178
27330	195
27331	195
27332	195
27333	195
27334	195
27335	195
27336	195
27337	195
27338	195
27339	195
27345	177
27346	177
27347	177
27391	185
27392	185
27393	185
27394	195
27395	195
27396	195
27397	195
27398	195
27414	195
27415	195
27416	195
27418	195
27450	192
27451	192
27452	192
27453	192
27454	192
27455	192
27456	192
27457	192
27458	192
27459	192
27460	192
27461	192
27462	192
27463	192
27464	192
27480	197
27481	197
27482	197
27483	197
27484	197
27485	197
27510	195
27511	195
27512	195
27513	195
27514	195
27515	195
27516	195
27520	192
27521	192
27522	192
27523	192
27531	177
27532	177
27534	177
27541	177
27542	177
27543	177
27545	191
27546	191
27547	191
27548	191
27551	177
27552	177
27553	177
27560	191
27561	191
27562	191
27563	191
27564	191
27565	191
27566	191
27567	191
27568	191
27569	191
27570	191
27571	191
27572	191
27573	191
27574	191
27591	195
27592	195
27593	195
27611	185
27612	185
27613	185
27801	192
27802	192
27803	192
27804	192
27811	191
27812	191
27813	191
27814	191
27820	193
27821	193
27822	193
27823	193
27824	193
27825	193
27827	193
27828	195
27829	195
27831	195
27832	195
27833	195
27834	195
27840	195
27841	195
27842	195
27843	195
27844	195
27845	195
27851	196
27852	196
27853	196
27854	196
27855	196
27856	196
27971	185
27972	185
27973	185
28011	185
28012	185
28013	185
28020	209
28021	192
28022	192
28023	192
28035	209
28045	191
28046	191
28047	191
28310	202
28319	203
28371	166
28372	166
28373	166
28374	166
28375	166
28376	166
28377	166
28378	166
28379	166
28380	166
28381	166
28421	177
28422	177
28423	177
28430	168
28445	177
28446	177
28447	177
28451	173
28452	186
28453	181
28454	206
28455	206
28456	205
28457	205
28458	206
28461	173
28462	186
28463	181
28464	206
28465	206
28466	205
28467	205
28468	206
28477	168
28478	168
28490	165
28491	165
28492	165
28493	165
28494	165
28501	171
28502	171
28503	171
28511	171
28512	171
28513	171
28520	165
28521	165
28522	165
28523	165
28524	165
28525	165
28530	171
28531	171
28532	171
28533	171
28534	171
28535	171
28536	171
28551	204
28552	204
28555	181
28556	173
28557	186
28570	168
28621	165
29001	197
29002	197
29003	197
29004	197
29005	197
29006	197
29007	197
29008	197
29009	197
29010	197
29011	197
29012	197
29016	197
29017	197
29018	197
29459	193
29460	193
29477	193
29478	193
29479	193
29480	193
29481	193
29482	193
29483	193
29484	193
29485	193
29486	193
29490	193
29495	193
29501	193
29502	193
29503	193
29504	193
29505	193
29506	193
29507	193
29508	193
29509	193
29513	178
29514	178
29515	178
29516	178
29517	178
29518	178
29519	178
29593	178
29594	178
29595	178
29596	178
29597	178
29598	178
29599	178
29603	193
29604	193
29605	193
29606	193
29607	193
29608	193
29609	193
29613	178
29614	178
29615	178
29616	178
29617	178
29618	178
29619	178
29671	193
29672	193
29673	193
29674	193
29675	193
29676	193
29677	193
29681	193
29682	193
29683	193
29684	193
29685	193
29686	193
29687	193
29691	193
29692	193
29693	193
29694	193
29695	193
29696	193
29697	193
30301	225
30680	195
30681	195
30682	195
30683	195
30684	195
30685	195
30691	192
30692	192
30693	192
30701	191
30702	191
30703	191
30753	196
30754	196
30755	196
30756	196
30758	196
30780	195
30781	195
30782	195
30783	195
30784	195
30785	195
30791	192
30792	192
30793	192
30801	191
30802	191
30803	191
31200	207
31500	146
31501	147
31502	148
31503	149
31504	150
31510	142
31511	143
31512	144
31520	158
31521	159
31522	160
31523	161
31530	154
31531	155
31532	156
31533	157
33000	168
33100	173
33200	181
33300	186
33400	204
33401	204
39400	134
39454	134
39455	134
39456	134
39457	134
39458	134
39459	134
39460	134
39461	134
39462	134
39463	134
39464	134
39465	134
39466	134
39467	134
39468	134
39469	134
42700	134
42702	134
42703	134
42704	134
42705	134
42706	134
42708	134
42710	134
42712	134
42715	134
42725	134
43000	134
43001	134
43002	134
43003	134
43004	134
43005	134
43006	134
43007	134
43008	134
43009	134
43010	134
43011	134
43012	134
43013	134
43014	134
43015	134
43016	134
43017	134
43018	134
43019	134
43020	134
43021	134
43022	134
43023	134
43024	134
43025	134
43026	134
43027	134
43028	134
43029	134
43030	134
43031	134
43100	134
43101	134
43102	134
43103	134
43104	134
43105	134
43106	134
43107	134
43108	134
43109	134
43110	134
43111	134
43112	134
43113	134
43114	134
43115	134
43116	134
43117	134
43118	134
43119	134
43120	134
43600	135
43601	135
43602	135
43603	135
43604	135
43605	135
43606	135
44440	139
45020	138
45021	138
45030	137
45031	137
45032	138
45034	139
45036	139
46910	224
46911	224
46912	225
46913	225
53010	16
53011	16
53012	16
53014	16
53015	16
53016	16
53020	16
53021	16
53022	16
53023	16
53024	16
53025	16
53026	16
53027	16
53030	16
53031	16
53032	16
53033	16
53034	16
53035	16
53036	16
53037	16
53038	16
53039	16
53040	17
53041	17
53042	17
53044	17
53045	17
53047	17
53048	17
53049	17
53050	18
53051	18
53052	18
53053	18
53054	18
53055	18
53060	18
53061	18
53062	18
53063	18
53070	18
53071	18
53072	18
53073	18
53074	18
53080	19
53081	19
53082	19
53083	19
53084	19
53085	19
53086	19
53091	19
53100	16
53101	16
53102	16
53103	16
53104	16
53105	16
53106	16
53107	16
53108	16
53109	16
53110	16
53111	16
53200	17
53201	17
53202	17
53203	17
53204	17
53205	17
53206	17
53207	17
53208	17
53209	17
53210	17
53211	17
53212	17
53213	17
53300	18
53303	18
53304	18
53305	18
53306	18
53307	18
53308	18
53309	18
53310	18
53311	18
53312	18
53313	18
53400	19
53401	19
53402	19
53403	19
53404	19
53405	19
53406	19
53407	19
53408	19
53409	19
53410	19
53411	19
53412	19
53413	19
53414	19
53415	19
53500	17
53501	17
53502	17
53503	17
53600	17
53601	17
53602	17
53603	17
53622	20
53700	32
53701	32
53702	32
53703	32
53704	32
53705	32
53706	32
53707	32
53708	32
53710	32
53711	32
53712	32
53713	32
53714	32
53720	32
53721	32
53722	32
53723	32
53724	32
53730	33
53731	33
53732	33
53733	33
53734	33
53735	33
53736	33
53737	33
53740	32
53741	32
53742	32
53750	33
53751	33
53752	33
53753	33
53754	33
53755	33
53756	33
53757	33
53760	32
53761	32
53762	32
53832	20
53900	38
53903	38
53904	38
53905	38
53906	38
53909	38
53910	38
53911	38
53912	38
53920	38
53921	38
53922	38
53940	38
53941	38
53942	38
53960	38
53961	38
53962	38
53970	39
53971	39
53972	39
54030	50
54032	50
54035	50
54040	50
54042	50
54045	50
54100	50
54103	50
54105	50
54107	50
54810	33
54811	33
54812	33
63010	26
63011	26
63012	26
63013	26
63014	26
63015	26
63020	26
63021	26
63022	26
63023	26
63024	26
63025	26
63026	26
63027	26
63030	26
63031	26
63032	26
63034	26
63035	26
63037	26
63038	26
63039	26
63040	27
63041	27
63042	27
63044	27
63045	27
63047	27
63048	27
63049	27
63050	28
63051	28
63052	28
63053	28
63054	28
63055	28
63060	28

Index of products

Item nos. from 967 to 691008

ITEM NO.	PAGE
63061	28
63062	28
63063	28
63080	29
63081	29
63082	29
63083	29
63084	29
63085	29
63086	29
63091	28
63100	26
63101	26
63102	26
63103	26
63104	26
63105	26
63106	26
63107	26
63108	26
63109	26
63110	26
63111	26
63115	26
63200	27
63201	27
63202	27
63210	27
63211	27
63212	27
63213	27
63300	28
63303	28
63304	28
63305	28
63306	28
63307	28
63308	28
63309	28
63310	28
63311	28
63312	28
63313	28
63400	28
63401	28
63402	28
63403	28
63404	28
63405	28
63406	28
63407	28
63408	28
63409	28
63410	28
63411	28
63412	28
63413	28
63414	28
63415	28
63500	27
63501	27
63502	27
63503	27
63600	27
63601	27
63602	27
63603	27
73020	46
73021	46
73023	46
73024	46
73025	46
73030	46
73032	46
73035	46
73038	46
73040	46
73042	46
73045	46
73048	46
73200	46
73206	46
73207	46
73208	46
73209	46
73211	46
73212	46
74050	78
74051	78
74052	78
74053	78
74054	78
74055	78
74056	78
74057	78
74058	78
74060	78
74061	78
74062	78
74063	78
74064	78
74065	78
74070	78
74071	78
74072	78
74073	78
74074	78
74075	78
74080	78
74081	78
74082	78
74083	79
74084	79
74085	79
74086	79
74087	79
74088	79
74089	79
74090	78
74091	78
74092	78
74180	79
74181	79
74182	79
74183	79
74184	79
74185	79
74186	79
74187	79
74188	79
76010	82
76012	82
76014	82
76015	82
76016	82
76017	82
76020	82
76022	82
76023	82
76025	82
76026	82
76030	82
76032	82
76033	82
76035	82
76036	82
81100	114
81102	114
81103	114
81104	114
81105	114
81106	114
81108	114
81110	114
81125	114
81200	115
81204	115
81205	115
81206	115
81207	115
81208	115
81209	115
81210	115
81211	115
81212	115
81213	115
81217	115
81245	115
81255	115
81400	115
81409	115
81410	115
81415	115
81420	115
81425	115
81427	115
81430	115
81440	115
81450	115
81600	114
81602	114
81603	114
81604	114
81605	114
81606	114
81608	114
81610	114
81625	114
81700	114
81709	114
81710	114
81715	114
81720	114
81725	114
81727	114
81730	114
81740	114
81750	114
82620	115
83800	74
83802	74
83803	74
83804	74
83805	74
83806	74
83807	74
83808	74
83900	74
83901	74
83902	74
83903	74
84000	74
84001	74
84002	74
84003	74
85540	102
85541	102
85543	102
85544	102
85800	226
85810	226
85830	226
86790	60
86791	60
86792	60
86793	60
86794	60
86795	60
86796	60
86797	60
86890	70
86893	70
86894	70
86895	70
86896	70
86897	70
86990	19
86991	19
86992	19
86993	19
87200	60
87201	60
87202	60
87203	60
87204	60
87205	60
87206	60
87207	60
87208	60
87209	60
87210	60
87211	60
87230	62
87231	62
87232	62
87233	62
87300	70
87303	70
87304	70
87305	70
87306	70
87307	70
87308	70
87309	70
87310	70
87311	70
89313	129
89321	120
89322	120
89323	120
89324	120
89325	120
89327	120
89341	121
89342	121
89343	121
89344	121
89345	121
89367	124
89368	124
89377	125
89378	125
89410	128
89412	128
89413	128
89414	128
89415	128
89416	128
89417	128
89418	128
89430	128
89432	128
89433	128
89434	128
89435	128
89450	128
89451	128
89452	128
89453	128
89454	128
89455	128
89456	128
89457	128
89458	128
89480	129
89487	129
89489	129
89490	129
89710	118
89711	118
89712	118
89713	118
89714	118
89715	118
89716	118
89717	118
89718	118
89719	118
89720	118
89721	118
89722	118
89723	118
89724	118
89730	118
89731	118
89732	118
89733	118
89734	118
89735	118
89740	118
89741	118
89742	118
89750	118
89751	118
89752	118
89753	118
89754	118
89755	118
89756	118
89757	118
89758	118
89760	119
89761	119
89762	119
89763	119
89764	119
89765	119
89766	119
89767	119
89770	119
89771	119
89772	119
89773	119
89774	119
89780	119
89781	119
89782	119
89783	119
89784	119
89785	119
89786	119
89787	119
89788	119
89789	119
89790	119
89791	119
89792	119
89793	119
89806	128
89920	124
89921	124
89922	124
89923	124
89924	124
89925	124
89926	124
89927	124
89930	124
89931	124
89932	124
89933	124
89934	124
89935	124
89940	124
89941	124
89942	124
92542	63
92551	63
93000	61
93001	61
93002	61
93003	61
94240	102
94241	102
94242	102
94243	102
94260	19
94261	19
94262	19
94350	62
94351	62
94352	62
94800	60
94801	60
94802	60
94803	60
94804	60
94805	60
94806	60
94807	60
94808	60
94809	60
94900	70
94902	70
94903	70
94904	70
94905	70
94906	70
94907	70
95190	62
95191	62
95192	62
95350	20
95351	20
95352	20
96500	110
96501	110
96502	110
96503	110
96504	110
96505	110
96506	110
96507	110
96508	110
96600	110
96601	110
96602	110
96603	110
96604	110
96700	110
96701	110
96702	110
96703	110
96704	110
97022	212
97023	212
97024	212
98700	61
98701	61
98702	61
98703	61
98704	61
98705	61
98706	61
98707	61
98708	61
98709	61
98710	61
98711	61
98712	61
98713	61
98714	61
98715	61
98800	62
98801	62
98802	62
98803	62
98804	62
98805	62
98806	62
98807	62
98900	61
98901	61
98902	61
98903	61
98904	61
98905	61
98906	61
98907	61
98908	61
98909	61
98910	61
98911	61
98912	61
98913	61
99000	71
99006	71
99007	71
99008	71
99009	71
99010	71
99011	71
99012	71
99013	71
99300	61
99303	61
99304	61
99305	61
99306	61
99307	61
99308	61
99309	61
99310	61
99311	61
99312	61
99313	61
99600	60
99601	60
99602	60
99603	60
99604	60
99605	60
99606	60
99607	201
99700	70
99702	70
99703	70
99704	70
99705	70
99706	70
99707	70
141172	229
230006	228
230008	228
230009	228
301142	218
301152	220
301162	220
301172	219
301182	219
301202	221
301212	218
301262	221
301272	99
301282	99
312012	207
427020	200
427021	200
427022	200
427045	200
427046	200
427047	200
427320	179
427321	179
427322	179
427345	179
427346	179
427347	179
427520	201
427521	201
427522	201
427542	180
427545	201
427546	201
427547	201
427552	180
428022	200
428046	201
428047	201
428422	180
428446	180
428550	167
428551	167
428552	167
428553	167
428554	167
428555	167
428556	167
428557	167
428558	167
428559	167
428560	167
429503	200
429504	200
429505	200
429506	200
429507	200
429508	200
429509	200
429603	201
429604	201
429605	201
429606	201
429607	201
429608	201
429609	201
429702	203
468010	99
468015	99
468016	99
468017	99
468018	99
468019	99
468020	99
468021	91
468022	91
468023	87
468024	87
620302	111
620303	111
620306	111
620326	111
620327	111
620400	111
653726	23
653741	34
653742	34
653744	34
653749	34
653754	23
653771	39
653772	39
653773	39
653774	39
653832	23
653833	23
653863	23
653864	23
653865	23
653866	23
653867	23
653868	23
653980	23
654005	54
654865	51
654866	51
663723	29
663863	29
663864	29
663865	29
663870	29
663886	29
663980	29
670001	47
670002	47
670006	47
670007	47
670008	47
670022	79
670023	79
670024	79
670025	79
670030	65
670031	65
670032	65
670033	65
670034	65
670037	65
670038	65
670039	65
670040	65
670060	71
670063	71
670064	71
670067	71
670069	71
670070	71
670080	83
670081	83
670082	83
670083	83
670094	74
670095	74
691008	20

Key word index

From A to Z

MAXX
PRO

A

Adapters **202, 203**
Allen keys see p. 239
Allen keys 132
Allen keys, sets of 134
Allen keys, sets of 137 et seq.
Awls 20, **63**

B

Ball-end bits see p. 239
Ball-end key wrenches see p. 239
Ball-end screwdrivers see p. 239
Ball-end sets of key wrenches see p. 239
Bit boxes 167, 179, 180, **200, 201**
Bitholders see p. 239
Bitholders for drills see p. 239
BITCOMMANDER **208**
BITDRIVE® 84
BITDRIVE® RATCHET 88
BITDRIVE® TORQUE 92
BITDRIVE® TORQUE VDE 96
Bits 164, **188**
Bits, Diamond 184
Bits, Extra hard 174
Bits, impact 164
Bits, industry 188
Bits, PRO Bitflex 191, 192
Bits, stainless 170
Bits, TiN 176
Blister card 166, 172, 178, 179, 185, **198, 199, 203**
Bottle opener 20, 50, **63**

C

Carburettor screwdrivers 19, 20, **62**
COMBIT box, diamond 186
COMBIT box, impact 168
COMBIT box, industry **204, 205, 206**
COMBIT box, stainless 173
COMBIT box, TIN 181
Cork screwdriver 48
Cork screwdriver sets 51
Corkscrew **212**
Cruciform bits see p. 239
Cruciform screwdrivers see p. 239

D

Diamond bits 184
Double-ended bits **197**
DRY WALL bit, IMPACT 165

E

Electrician's screwdrivers 16, 26, **60, 70**
Electronics screwdrivers 30, 36, **76, 80 96**
Electronics sets of screwdrivers 34, 39, **79, 83**
ESD screwdrivers **100**
ESD WITTRON® **126**
Extra hard bits 174

F

Five-star bits see p. 239
Four-sided awls 20, **63**

G

Gift boxes **212**

H

Hex screwdrivers see p. 239
Holders **202, 203**

I

Impact bit DRY WALL 165
Impact bits 164
Impact cap screwdrivers **72, 108**
Impact screwdriver **72**
Impact sets of screwdrivers **74**
Industry bits **188**
Insulated screwdrivers 30, 36, **76, 80**
Internal hex drive bits see p. 239
Internal hex drive key wrenches see p. 239
Internal hex drive screwdrivers see p. 239
Internal square drive bits see p. 239
Internal square drive screwdrivers see p. 239

M

Magnetic holders **202, 203**
Magnetic screw holders **203**
Male hex bits see p. 239
Male hex screwdrivers see p. 239
MAXX bottle-opener 14
MAXX ESD screwdrivers 100
MAXX heavy-duty combination pliers 144
MAXX heavy-duty side-cutters 143
MAXX heavy-duty telephone engineer's pliers 142
MAXX Plus screwdrivers 24
MAXX Plus sets of screwdrivers 29
MAXX screwdrivers 20
MAXX sets of screwdrivers 23
MAXX VDE cable shears 150
MAXX VDE heavy-duty combination pliers 149
MAXX VDE heavy-duty side-cutters 148
MAXX VDE heavy-duty telephone eng. pliers 146
MAXX VDE multifunction side-cutters 147
MAXX VDE screwdrivers 30
MAXX VDE sets of screwdrivers 34
MAXX VDE Slim screwdrivers 36
MAXX VDE Slim sets of screwdrivers 36
MAXX voltage testers 40
MAXX Women Line 52
MAXXPRO Nature screwdrivers 48
MAXXPRO Nature sets of screwdrivers 51
MAXXPRO stainless screwdrivers 44
MAXXPRO stainless sets of screwdrivers 47
MODUL bits see p. 239
MODUL screwdrivers see p. 239

N

Nutdrivers see p. 239
Nutdrivers see p. 239
Nutdrivers, flexible see p. 239

P

PH bits see p. 239
PH Phillips screwdrivers see p. 239
PH Phillips screwdrivers with hex bolster 17, 27, 74
Picks & hooks 20

P

Pliers & cutters
- Combination plier **156**
- Heavy-duty combination plier 144
- Heavy-duty side-cutter 143
- Heavy-duty telephone engineer's plier 142
- Side-cutter **155**
- Telephone engineer's plier **154**
- VDE cable shear 150
- VDE combination plier **159**
- VDE heavy-duty combination plier 149
- VDE heavy-duty side-cutter 143
- VDE heavy-duty telephone eng. plier 142
- VDE multifunction side-cutter 147
- VDE radio and telephone engineer's plier **158**
- VDE side-cutter **161**
- VDE wire-stripper **160**
- Water pump plier **157**

POS displays and accessories **222**
- Counter display **229**
- Displays **228**
- displays and accessories **224**
- Header panel with supplementary display **227**
- Hooks for perforated panels **226**
- Light box **225**
- Magnetic film **225**
- Perforated wall displays **226**
- Revolving sales stand **225**
- Supplementary displays **227**
- Systems **224**

PRO bit box **207**
PRO BITDRIVE® 63
PRO BITDRIVE® RATCHET 84
PRO BITDRIVE® TORQUE 88
PRO BITDRIVE® TORQUE VDE 92
PRO bits **188**
PRO bottle-opener 96
PRO combination pliers **156**
PRO impact screwdrivers **72**
PRO impact sets of screwdrivers **74**
PRO Nature screwdrivers 108
PRO Nature sets of screwdrivers 111
PRO Plus screwdrivers **68**
PRO Plus sets of screwdrivers **71**
PRO radio & telephone engineer's pliers **154**
PRO screwdrivers **58**
PRO sets of screwdrivers **65**
PRO side-cutters **155**
PRO slip-joint pliers **157**
PRO T-handles **112**
PRO VDE combination pliers **159**
PRO VDE radio & telephone engineer's pliers **158**
PRO VDE screwdrivers **76**
PRO VDE sets of screwdrivers **79**
PRO VDE side-cutters 161
PRO VDE Slim screwdrivers **80**
PRO VDE Slim sets of screwdrivers **83**
PRO VDE wire-strippers **160**
PRO voltage testers **104**
PRO Wittron ESD screwdrivers **126**
PRO Wittron ESD sets of screwdrivers **129**
PRO Wittron screwdrivers **116**
PRO Wittron sets of screwdrivers **120, 121**
PRO Wittron VDE screwdrivers **122**
PRO Wittron VDE sets of screwdrivers **124, 125**

P

PZ bits see p. 239
PZ Pozidriv screwdrivers see p. 239
PZ Pozidriv screwdrivers with hex bolster 17, 27, **74**

R

Ratchdrive Diamond 186
Ratchdrive Industry 203
Ratchdrive Stainless 173
Ratchdrive TiN **181**

S

Slotted bits see p. 239
Slotted screwdrivers see p. 239
Soft case sets **214**
Square bits see p. 239
Square screwdrivers see p. 239
Stainless bits see p. 239
Stainless steel bits 170
Stainless steel screwdrivers 44
Stainless steel sets of screwdrivers 47
Stubby (carburettor) screwdrivers 19, 20, **62**

T

T-bars **112**
TIN bits 176
Torq-Set bits see p. 239
TORX® bits see p. 239
TORX® key wrenches see p. 239
TORX® key wrenches, sets of 138, 139
TORX® screwdrivers see p. 239
TORX® sets of screwdrivers 23, 29, 47, 65, 71, 120, 121, 124, 125, 138, 139
TORX® TR bits see p. 239
TORX® TR screwdrivers see p. 239
TORX® TR screwdrivers, sets of 23, 29, **65**
TRI-WING bits see p. 239
TRI-WING screwdrivers see p. 239

U

Universal holders **202, 203**

V

VDE screwdrivers 30, 36, **76, 80 96**
VDE sets of screwdrivers 34, 39, **79, 83 126**
VDE WITTRON® 40, **104**
Voltage testers

W

Women Line 52
Wooden-handled screwdrivers **108**
Wooden-handled sets of screwdrivers **111**
Workshop screwdrivers 16, 26, 50, **60, 70, 74, 102, 110**
Workshop screwdrivers with hex bolster 16, 26, **74**

X

XZN triple-square bits see p. 239
XZN triple-square key wrenches see p. 239

Fastener assignment

of WITTE screwdrivers to screw types

Slotted screws

a x b (DIN 5264)	Countersunk screws			Raised countersunk screws			Cheesehead screws	Panhead screws				Mushroom head screws	Grub screws	
	Metric ISO 2009	Steel sheet ISO 1482	Wood DIN 97	Metric ISO 2010	Steel sheet ISO 1483	Wood DIN 95	Metric ISO 1207	Metric ISO 1580	Metric DIN 920	Metric DIN 921	Steel sheet ISO 1481	Wood DIN 96	DIN EN 24766 27435	DIN 427
0.4 x 2			1.6			1.6						1.6	3	2.5
0.4 x 2.5	1.6		2	1.6			1.6	1.6	2.5	1.6			3.5	3
0.5 x 3	2	2.2		2	2.2	2	2	2	3		2.2	2		3.5
0.5 x 4*)									3.5	2			4	
0.6 x 3.5	2.5		2.5	2.5		2.5	2.5					2.5		4
0.6 x 4.5*)								2.5	4	2.5			5	
0.8 x 4	3	2.9	3 / 3.5	3	2.9	3 / 3.5	3	3			2.9	3	6	5
0.8 x 5.5*									5	3 / 3.5		3.5		
1 x 5.5	3.5	3.5	4 / 4.5	3.5	3.5	4 / 4.5	3.5	3.5	6	4	3.5	4 / 4.5	8	6
1.2 x 6.5	4 / 5	4.2 / 4.8	5 / 5.5	4 / 5	4.2 / 4.8	5	4	4			4.2			8
1.2 x 8						5.5	5		8	5	4.8	5 / 5.5		
1.6 x 8	6	5.5 / 6.3	6 / 7	6	5.5 / 6.3	6 / 7	6	6	10			6	10 / 12	10
1.6 x 10			10			8		6	10	6	5.5 / 6.3	7		12
2 x 12	8	8	1	8	8		8	8		8	8	8		14
2.5 x 14	10	9.5		10	9.5		10	10		10	9.5			16 / 18 / 20

PHILLIPS recess

ISO 8764	Metric ISO 2009	Metric ISO 1482	Metric DIN 97	Self-tapping screws ISO 2010	Self-tapping screws ISO 1483	Woodscrews DIN 95	Woodscrews ISO 1207	Woodscrews ISO 1207
Size 0	1.6	1.6	1.6	2.2	2.2		2	
	2	2	1.8					
Size 1	2.5	2.5	2	2.9	2.9	2.5	2.5	2.5
	3	3	2.5			3	3	3
			3					
Size 2	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5
	4	4	4	4.2	4.2	4	4	4
	5	5	5	4.8	4.8	4.5	4.5	4.5
						5	5	5
Size 3	6	6	6	5.5	5.5	5.5	5.5	5.5
				6.3	6.3	6	6	6
						7	7	7
Size 4	8	8	8	8	8	8	8	8
	10	10	10	9.5	9.5			

SUPADRIV / POZIDRIV

ISO 8764	Metric ISO 2009	Metric ISO 1482	Metric DIN 97	Self-tapping screws ISO 2010	Self-tapping screws ISO 1483	Woodscrews DIN 95	Woodscrews ISO 1207	Woodscrews ISO 1207
Size 0	1.6	1.6	1.6	2.2	2.2		2	
	2	2	1.8					
Size 1	2.5	2.5	2	2.9	2.9	2.5	2.5	2.5
	3	3	2.5			3	3	3
Size 2	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5
	4	4	4	4.2	4.2	4	4	4
	5	5	5	4.8	4.8	4.5	4.5	4.5
						5	5	5
Size 3	6	6	6	5.5	5.5	5.5	5.5	5.5
				6.3	6.3	6	6	6
						7	7	7
Size 4	8	8	8	8	8	8	8	8
	10	10	10	9.5	9.5			

Internal hex

Size	Metric screws DIN 908	Metric screws *DIN 912	Metric screws DIN 7984	Metric screws ISO 7991	Grub screws *DIN 913 / 916	Grub screws *DIN 914	Grub screws *DIN 915
1.5		1.6					
		2			3	3	3
2		2.5	3	3	4	4	4
2.5		3	4	4	5	5	5
3		4	5	5	6	6	6
4		5	6	6	8	8	8
5	10	6	8	8	10	10	10
6	12	8		10	12	12	12
	14				14	14	14
8	16 / 18	10	12	12	16	16	16
10	20 / 22	12	14	14	18	18	18
				16	20	20	20
12	24	14	16	18	22	22	22
	26		18	20	24	24	24

External hex

Size	Metric screws DIN 931	Metric screws DIN 933	Self-tapping screws DIN 7976	Wood screws DIN 571
3.5				
4	2	2		
4.5				
5	2.5	2.5		2.9
5.5	3	3		3.5
6	3.5	3.5		
7	4	4	4	3.9
				4.2
8	5	5	5	4.8
				5.5
9				
10	6	6	6	6.3
11	7	7		
12			7	
13	8	8	8	8
14				

Internal TORX®

TORX sizes		Metric screws DIN 912	Metric screws DIN 965	Metric screws DIN 966	Metric screws DIN 7984 6912	Metric screws DIN 7984	Metric screws DIN 7991	Self-tapping screws DIN 7981	Self-tapping screws DIN 7982	Self-tapping screws DIN 7983
T5	1.42	1.4 / 1.6	1.8		1.4 / 1.6	1.4 / 1.6	*	*	*	*
T6	1.70	1.3 / 2	2	*	1.3 / 2	1.3 / 2	*	*	*	*
T7	1.99	*	*	*	*	*	*	*	*	*
T8	2.31	2.5	2.5	2.5	2.5	2.5	2.5	2.9	2.9	2.9
T9	2.50							2.9		
T10	2.74	3	3	3	3	3	3	3.5	3.5	3.5
T15	3.27	3.5	3.5	3.5	3.5	3.5		3.9	3.9	3.9
T20	3.86		4	4		4	4	4.2	4.2	4.2
T25	4.43	4	5	5	4	5	5	4.8 / 5.5	4.8 / 5.5	4.8 / 5.5
T27	4.99	4.3 / 5	**	**	4.3 / 5	**	**	**	**	**
T30	5.52	6	6	6	6	6	6	6.3	6.3	6.3
T40	6.65	8	8	8	8	8	8	8		
T45	7.82	**	**	**	**	**	**	**	**	**
T50	8.83	10	10	10	10	10	10	10		
T55	11.22	12			12			12		
T60	13.25	14			14					

* Special screws M 1.6 – 2.0 for reversible tungsten carbide tips

** Special screws













PROFIL FINDER

	Slotted	PH	PZ	MODUL PH	MODUL PZ	TORX®	TORX® TR	External hex	Sockets	Bitholders	Internal hex drive	Ball-end	Square drive	Awls	Adapters	TRI-WING	TORQ-SET	XZN triple-square	Five star	Spanner, snake-eye
MAXX	16	16	17			17	18		19	19		18	18	20		18			18	
MAXX Plus	26	26	27			27	28		28			28	28						28	
MAXX VDE	32	32	32	32	32	33			33				33							
MAXX VDE Slim	38	38	38	38	38								38							
MAXX voltage tester	43																			
MAXXPRO Stainless	46	46	46			46														
MAXXPRO Nature	50	50	50																	
MAXXPRO Women Line	54	54	54																	
PRO	60	60	60			61	61		61	62			61	63						
PRO Plus	70	70	70			71														
PRO Impact	74	74	74																	
PRO VDE	78	78	78	78	78	79			79											
PRO VDE Slim	82	82	82	82	82															
BITDRIVE®		87	87			87														
BITDRIVE® RATCHET		91	91			91														
BITDRIVE® TORQUE																				
BITDRIVE® TORQUE VDE	99	99																		
PRO ESD	102	102																		
PRO voltage testers	106																			
PRO Nature	110	110	110																	
PRO T-bars						114			115	115	114									
PRO WITTRON®	118	118	118			118			119	119	119	119								
PRO WITTRON® VDE	124	124				124														
PRO WITTRON®ESD	128	128				128			128											
PRO Allen keys						134			134									135		
MAXX Impact		165	165			165														
MAXX Stainless		171	171			171														
MAXX Extra hard		175	175																	
MAXX TiN	177	177	177			178	178													
MAXX Diamond		185	185																	
PRO bits	194	192	191	195	195	193	193	196			196	196	195		197	196	195	195	193	194



As at 03/2020

Our general terms & conditions are deemed to apply.
These can be found on our website: www.wittetools.com

KIRCHHOFF Witte GmbH
Feldmühlenstr. 51 · 58093 Hagen · Germany
www.wittetools.com · info@wittetools.com

MADE IN GERMANY
SINCE 1785.

WITTE